

नवीन संबद्धता के लिए प्राप्त आवेदनों में से निरस्त किये गये आवेदनों की सूची दिनांक 29.06.2017

S.NO	App._n	STATUS	REMARK
1	IR16000112	REJECTED	II FORM SAME DIRECTOR IST FORM NO 0490
2	IR16000120	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
3	IR16000135	REJECTED	DIRECTOR QUALIFICATION MENTION PG , SAME DIR IR 1150
4	IR16000231	REJECTED	DIRECTOR SIG. NOT UPLOAD., DIRECTOR QUALIFICATION NO MENTION
5	IR16000281	REJECTED	CLASS ROOM = 600 SQ.FT. , DIRECTOR QUALIFICATION NOT MENTION.
6	IR16000317	REJECTED	02 FACULTY LESS, 01 MAGZINE LESS , 02 PRINTER LESS
7	IR16000368	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
8	IR16000381	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA, DIRECTOR SIGN NOT UPLOADED
9	IR16000388	REJECTED	01 MAGZINE LESS,01 PRINTER LESS, CLASSROOM 600 S.F REQ. 700 S.F , SAME DIR IR 0419
10	IR16000405	REJECTED	CLASS ROOM ONLY 450 SQ FT,TOTAL AREA-1350 SQ FT,DIR SIG NOT UPLOAD
11	IR16000416	REJECTED	FACULTY QUALIFICATION NOT CLEAR, 1 MAGAZINE LESS, CLASSROOM 600 SQ .FT , COM LAB 280 SQ.FT.
12	IR16000441	REJECTED	DIRECTOR NOT QUALIFIED, 01 FACULTY LESS, 02 PRINTER LESS
13	IR16000484	REJECTED	CLASS ROOM ONLY 500 SQ.FT., 1- FACULTY LESS, 1-MAZ LESS .
14	IR16000568	REJECTED	DIRECTOR NOT QUALIFIED,DIRECTOR SIGNATURE NOT UPLOAD
15	IR16000577	REJECTED	DIRECTOR SIG. NOT UPLOAD.,
16	IR16000580	REJECTED	DIR. SIG NOT UPLOAD
17	IR16000589	REJECTED	DIRECTOR SIG. NOT MENTION,
18	IR16000600	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED, 01 FULL TIME FACULTY LESS
19	IR16000605	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
20	IR16000641	REJECTED	2- PRINTER LESS., DIRECTOR NOT QUALIFIED, CARPET AREA LESS.
21	IR16000642	REJECTED	DIRECTOR SIG NOT UPLOAD ON PHOTO
22	IR16000655	REJECTED	DIRECTOR SIGN NOT UPLOADED,DIRECTOR NOT QUALIFIED, 01 PRINTER LESS
23	IR16000671	REJECTED	01 FULL TIME FACULTY LESS FOR DCA, 04 COMPUTER LESS
24	IR16000700	REJECTED	COLLEGE WORD USED, DIR SIG NOT UPLOAD
25	IR16000775	REJECTED	2 PRINTER LESS
26	IR16000806	REJECTED	FACULTY FULLTIME/PART TIME NOT MENTION , OFFICE AND LIBRARY ROOM NOT MENTION ,CLASSROOM 480 S.F REQ. 700 S.F NOT ADJUSTABLE

27	IR16000824	REJECTED	DIRECTOR NOT QUALIFIED ONLY GRADUATE, TUTORIAL 500 SQ.FT
28	IR16000864	REJECTED	2 PRINTER LESS, DIRECTOR PHOTO SIG. NOT UP LOAD
29	IR16000890	REJECTED	DIR SIG. NOT UPLOAD,2 CLASS ROOM 590 SQ FT, COMP LAB 220 SQ FT
30	IR16000904	REJECTED	2 - CLASS ROOM = 320 SQ.FT. , COMPUTER LAB - 280 SQ.FT., CARPET AREA LESS.
31	IR16000946	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED,01 PRINTER LESS,01 MAGZINE LESS, COMPUTER LAB 250 REQ. 300 S.F
32	IR16000990	REJECTED	01 FULL TIME FACULTY LESS,DIRECTOR CANNOT BE FACULTY, 02 MAGZINE LESS , 01 PRINTER LESS
33	IR16001043	REJECTED	01 FULL TIME FACULTY LESS , DIRECTOR CANNOT BE FACULTY, CLASS ROOM 300 REQ. 700 S.F, DIRECTOR PHOTO AND SIGNATURE NOT UPLOADED
34	IR16001046	REJECTED	FACULTY NOT QUALIFIED , COMPUTER LAB, 272 SQ.FT
35	IR16001057	REJECTED	1- CLASS ROOM ONLY 300 SQ.FT., 1- PRINTER LESS.
36	IR16001071	REJECTED	DIRECTOR CANNOT BE A FACULTY HENCE REJECTED ONE FULL TIME FACULTY LESS FOR DCA
37	IR16001089	REJECTED	DIRECTOR NOT QUALIFIED, COMPUTER LAB 200 REQ. 300 S.F
38	IR16001092	REJECTED	1 FACULTY REQUIRED, DIR. SIGNATURE NOT UPLOAD
39	IR16001135	REJECTED	01 PRINTER LESS, CLASS ROOM 832 REQ. 1600 S.F TOTAL CARPET AREA IS LESS 3144-500 +200=2844 S.F
40	IR16001139	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
41	IR16001188	REJECTED	CLASS ROOM & TUTORIAL ROOM NOT 700 SQ.FT.
42	IR16001206	REJECTED	DIR. QUA NOT MENTION,2 MAZ LESS,INDIA WORD USED,DIR SIG NOT UPLOAD
43	IR16001209	REJECTED	DIR. NOT PG DEGREE,1 FACULTY LESS,1 MAZ LESS,1 PRINTER LESS,1 PRINTER LESS
44	IR16001259	REJECTED	02 MAGZINE LESS, 01 FULL TIME FACULTY LESS
45	IR16001266	REJECTED	NO FACULTY,2 CLASSROOM 350 SQ FT
46	IR16001284	REJECTED	DIR. SIG NOT UPLOAD, FULL TIME PART TIME NOT MENTION
47	IR16001291	REJECTED	COLLEGE WORD USED,DIRECTOR SIG. NOT UPLOAD.,
48	IR16001292	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA, 02 PRINTER LESS,CLASSROOM 507 S.F REQ. 700 S.F TOTAL CARPET AREA IS LESS 2089-800 +150=1439 S.F, DIRECTOR SIGN NOT UPLOADED
49	IR16001298	REJECTED	DIRECTOR SIG. & PHOTO NOT UPLOAD.
50	IR16001326	REJECTED	CLASSROOM 484 S.F REQ. 700 S.F, COMPUTER ROOM 264 S.F REQ 300,TOTAL CARPET AREA IS LESS 1562-440 +150=1272 S.F, 01 PRINTER LESS, 01 MAGZINE LESS
51	IR16001358	REJECTED	02 FACULTY LESS,CLASSROOM 650 S.F REQ. 700 S.F,COMPUTER LAB 250 S.F REQ. 300 S.F , 02 MAGZINE LESS
52	IR16001379	REJECTED	COMPUTER LAB 200 SQ.FT , 2 MAGAZINE LESS , DIR SIG NOT UPLOAD
53	IR16001401	REJECTED	1 FACULTY REQUIRED , LIB. NOT MENTIONED, 1 PRINTER LESS, NO SIG ON PHOTO
54	IR16001459	REJECTED	DIRECTOR PHOTO & SIG.NOT UPLOAD
55	IR16001461	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED

56	IR16001474	REJECTED	1 FACULTY REQUIRED TUTORIAL ROOM NOT MENTION,CARPET AREA LESS
57	IR16001488	REJECTED	DIRECTOR SIG. NOT UPLOAD., 1 PRINTER LESS,1 MAG LESS, CLASS ROOMSIZE LESS,TOTAL CARPET AREA ALSO LESS 2800 SQ FT
58	IR16001498	REJECTED	CLASSROOM 240 S.F REQ. 700 S.F, COMPUTER ROOM 287 REQ. 300 S.F TOTAL CARPET AREA NOT ADJUSTABLE
59	IR16001525	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
60	IR16001536	REJECTED	CLASSROOM 513 S.F REQ. 700 S.F TOTAL CARPET AREA IS LESS 1559-268 +150=1441 S.F,02 MAGZINE LESS
61	IR16001547	REJECTED	DIRE. NOT P.G. DEGREE, 2 -CLASS ROOM 620 SQ.FT., FACULTY DESIGNATION NOT MENTION.
62	IR16001572	REJECTED	CLASSROOM 400 S.F REQ. 700 S.F, COMPUTER ROOM 200 S.F REQ 300 TOTAL CARPET AREA IS LESS 2880-1840 +150=1190 S.F,
63	IR16001573	REJECTED	1- FACULTY LESS, CLASS ROOM AREA LESS, DIRECTOR NOT P.G., COMPUTER AREA - 200 SQ.FT.
64	IR16001703	REJECTED	01 FACULTY LESS FOR DCA, DIRECTOR CANNOT BE A FACULTY,
65	IR16001714	REJECTED	CLASSROOM 500 S.F REQ 700, COMPUTER ROOM 400 S.F REQ 450 S.F, 2 FACULTY LESS
66	IR16001732	REJECTED	COLLEGE WORD USED,FULL TIME PART TIME NOT MENTION,1 PRINTER LESS,DIRECTOR SIG. NOT UPLOAD
67	IR16001738	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA, 01 PRINTER LESS
68	IR16001741	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA,01 PRINTER LESS
69	IR16001757	REJECTED	DIRECTOR PHOTO AND SIGNATURE NOT UPLOADED, 01 FULL TIME FACULTY LESS FOR PGDCA, DIRECTOR QUALIFICATION NOT CLEAR
70	IR16001760	REJECTED	02 PRINTER LESS
71	IR16001764	REJECTED	01 PRINTER LESS, DIRECTOR NOT QUALIFIED,01 FACULTY LESS AND FULL TIME/PART TIME NOT MENTION, CLASS ROOM 525 REQ. 700 S.F, TOTAL CARPET AREA LESS
72	IR16001801	REJECTED	2 MAZ LESS, 2 CLASS ROOM 700 REQUIRED ONLY 450 SQ.FT. SHOWN, COMPUTER LAB 200 SQ.FT. TOTAL AREA = 1300 SQ.FT., 1 - FACULTY LESS.
73	IR16001811	REJECTED	DIR. SIG NOT UPLOAD
74	IR16001815	REJECTED	CLASSROOM 555 SQ.FT, 1 PRINTER LESS
75	IR16001825	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
76	IR16001835	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA, CLASSROOM 480 S.F REQ. 700 S.F
77	IR16001839	REJECTED	1 MAZ LESS,DIR SIG NOT UPLOAD
78	IR16001840	REJECTED	DIRECTOR SIG. NOT UPLOAD., DIR NAME NOT MENTION
79	IR16001860	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
80	IR16001878	REJECTED	CLASS ROOM 422 SQ FT,DIR SIG NOT UPLOAD
81	IR16001905	REJECTED	01 FULL TIME FACULTY LESS FOR DCA, SAME DIR IR 6774,6740,6662

82	IR16001929	REJECTED	DIRECTOR NOT PG DEGREE,2 FACULTY LESS
83	IR16001933	REJECTED	DIRECTOR SIG. NOT UPLOAD.,
84	IR16001935	REJECTED	COLLEGE WORD USED,DIR SIG. NOT UPLOAD
85	IR16001936	REJECTED	DIRECTOR NOT PG DEGREE, 2 PRINTER LESS
86	IR16001962	REJECTED	01 MAGZINE LESS, DIRECTOR SIGNATURE NOT UPLOADED
87	IR16002001	REJECTED	DIRECTOR SIGN NOT UPLOADED,DIRECTOR NOT QUALIFIED
88	IR16002008	REJECTED	DIRECTOR SIG. NOT UPLOAD., 2 CLASS ROOM 650 SQ.FT.,COMPUTER LAB 148 SQ FT FACULTY QUALIFICATION NOT MENTION
89	IR16002068	REJECTED	1FACULTY REQUIRED,CARPET AREA DETAIL NOT MENTION, NO SIGNATURE ON PHOTO
90	IR16002074	REJECTED	01 FULL TIME FACULTY LESS ,01 PRINTER LESS, CLASSROOM 600 S.F REQ. 700 S.F
91	IR16002077	REJECTED	CLASS ROOM, 350 SQ. FT ONLY
92	IR16002121	REJECTED	02 PRINTER LESS, FACULTY FULLTIME/PART TIME NOT MENTION, SAME DIR IR 7087
93	IR16002129	REJECTED	2 PRINTER LESS SAME DIRECTOR IR 3918
94	IR16002132	REJECTED	01 FULL TIME FACULTY LESS , DIRECTOR CANNOT BE A FACULTY
95	IR16002140	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
96	IR16002141	REJECTED	2 PRINTER LESS CLASSROOM 1350 SQ.FT REQUIRED 1600 SQFT SAME DIRECTOR II FORM NO 4973
97	IR16002146	REJECTED	DIRECTOR SIGN NOT UPLOADED, SAME DIR IR 7152
98	IR16002147	REJECTED	2 CLASS ROOM 440 SQ.FT , COM LAB 145 SQ.FT, 2 MAG. LESS, 2 PRINTER LESS
99	IR16002161	REJECTED	02 FULL TIME FACULTY LESS, CLASSROOM 517 S.F REQ. 700 S.F, DIRECTOR SIGNATURE NOT UPLOADED
100	IR16002213	REJECTED	01 FACULTY LESS FOR PGDCA, TUTORIAL ROOM 450 REQ. 700 S.F
101	IR16002228	REJECTED	DIRECTOR SIG. NOT UPLOAD., 2- PRINTER LESS, 1- COMPUTER LESS, 1- MAZ LESS, CLASS ROOM 600 SQ.FT.
102	IR16002236	REJECTED	1 FACULTY LESS,FULL TIME PART TIME NOT MENTION,TOTAL AREA 1250 SQFT,COMP LAB 180 SQ FT,2 CLASS ROOM 540 SQFT,2 MAZ LESS
103	IR16002263	REJECTED	02 PRINTER LESS,CLASS ROOM 1080 REQ.1600 S.F CANNOT BE ADJUSTABLE
104	IR16002275	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED,01 MAGZINE LESS
105	IR16002286	REJECTED	DIRECTOR SIGNATURE NOT UPLOAD, 01 MAGZINE LESS
106	IR16002300	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA
107	IR16002308	REJECTED	1 CLASS ROOM ,OF 300 SQ FT ONLY,TOTAL AREA 1085 SQ FT
108	IR16002335	REJECTED	COLLEGE WORD USED,DIRECTOR SIGNATURE NOT UPLOADED, FACULTY FULLTIME/PART TIME NOT MENTION
109	IR16002339	REJECTED	DIRECTOR SIG. NOT UPLOAD., 1- PRINTER LESS., CARPER AREA LESS, DIRECTOR NOT QUALIFIED.
110	IR16002365	REJECTED	01 FULL TIME FACULTY IS LESS FOR DCA, 02 MAGZINE LESS
111	IR16002378	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED,

112	IR16002388	REJECTED	COLLEGE WORD USED,DIRECTOR SIGNATURE NOT UPLOADED
113	IR16002392	REJECTED	MAHAVIDYALAY WORD USED,CARPORATE AREA DETAIL NOT MENTION
114	IR16002406	REJECTED	DIR. NOT PG DEGREE,1 FACULTY LESS,2 CLASS ROOM ONLY 200 SQ FT COMP LAB 170 SQ FT
115	IR16002408	REJECTED	DIR. SIG NOT UPLOAD,1 PRINTER LESS,2 CLASS ROOM 420 SQ FT
116	IR16002413	REJECTED	COLLEGE WORD USED,SAME DIRECTOR II FORM 7035 OK
117	IR16002436	REJECTED	DIR. NOT QUALIFIED (DIPLOMA HOLDER)NO FACULTY ,2 CLASS ROOM 360 SQ FT COMP LAB 180 SQ FT
118	IR16002443	REJECTED	(SAME DIRECTOR IR 3268,IR 3282)
119	IR16002460	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
120	IR16002467	REJECTED	DIR. SIG NOT UPLOAD
121	IR16002476	REJECTED	01 FULL TIME FACULTY LESS FOR DCA DIRECTOR CANNOT BE A FACULTY
122	IR16002495	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
123	IR16002496	REJECTED	01 PRINTER LESS, 01 MAGZINE LESS, DIRECTOR SIGNATURE NOT UPLOADED
124	IR16002543	REJECTED	DIRECTOR NOT QUALIFIED, 02 PRINTER LESS
125	IR16002548	REJECTED	01 FULL TIME FACULTY LESS ,DIRECTOR NOT QUALIFIED, DIRECTOR SIGNATURE NOT UPLOADED,CLASS ROOM 400 REQ 700 S.F
126	IR16002563	REJECTED	DIRECTOR SIG. NOT UPLOAD., SAME DIRECTOR II FORM 7729
127	IR16002570	REJECTED	DIRECTOR SIG. NOT UPLOAD.,
128	IR16002592	REJECTED	COLLEGE WORD USED,DIRECTOR SIGNATURE NOT UPLOADED,01 MAGZINE LESS
129	IR16002593	REJECTED	CLASS ROOM 450 SQ.FT, 2 MAZ LESS, DIRECTOR SIG NOT UPLOAD.
130	IR16002599	REJECTED	COLLEGE WORD USED,FULL TIME PART TIME NOT MENTION, DIR. NOT P.G. DEGREE
131	IR16002606	REJECTED	DIRECTOR NOT QUALIFIED, FACULTY QUALIFICATION MENTION GRADUADE, DIRECTOR ROOM 100 S.F REQ 150 S.F, COMPUTER ROOM 100 S.F REQ 300, SAME DIR IR 5879
132	IR16002608	REJECTED	DIRECTOR NOT QUALIFIED, 02 MAGZINE LESS
133	IR16002619	REJECTED	1 CLASS ROOM 350 SQ FT SHORT
134	IR16002628	REJECTED	COLLEGE WORD USED FULL TIME PART TIME NOT MENTION, DIR SIG NOT UPLOAD
135	IR16002638	REJECTED	1 MAZ LESS,MAHAVIDYALAY WORD USE ,DIR SIG NOT UPLOAD
136	IR16002661	REJECTED	DIRECTOR NOT P.G. DEGREE.
137	IR16002665	REJECTED	DIR. SIG NOT UPLOAD
138	IR16002682	REJECTED	DIR SIG NOT UPLOAD
139	IR16002689	REJECTED	DIRECTOR SIG. NOT UPLOAD.,
140	IR16002700	REJECTED	DIRECTOR SIGN NOT UPLOADED
141	IR16002701	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
142	IR16002716	REJECTED	DIRECTOR SIG. NOT UPLOAD.,

143	IR16002729	REJECTED	DIRECTOR SIG. NOT UPLOAD.
144	IR16002764	REJECTED	DIRECTOR SIG. NOT UPLOAD.
145	IR16002779	REJECTED	2 PRINTER LESS,1 MAZ LESS
146	IR16002790	REJECTED	2 PRINTER LESS
147	IR16002846	REJECTED	01 FULL TIME FACULTY LESS FOR DCA , DIRECTOR CANNOT BE A FACULTY
148	IR16002855	REJECTED	DIR. NOT QUALIFIED ONLY PGDCA, NOT MENTION FULL TIME , PART TIME FACULTY
149	IR16002905	REJECTED	2 CLASS ROOM AREA 336 SQ FT ,TOTAL AREA 1236 SQ FT
150	IR16002906	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED,FACULTY FULLTIME/PART TIME NOT MENTION
151	IR16002910	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
152	IR16002931	REJECTED	2- CLASS ROOM AREA 303 SQ.FT.
153	IR16002934	REJECTED	COMPUTER LAB 120 REQ. 300 S.F,TOTAL CARPET AREA IS LESS 1800-485+150=1465 S.F,DIRECTOR SIGNATURE NOT UPLOADED, 01 MAGZINE LESS
154	IR16002947	REJECTED	DIRECTOR SIG. NOT UPLOAD.
155	IR16002965	REJECTED	DIR. NOT P.G.DEGREE
156	IR16003027	REJECTED	CLASS ROOM 432 REQ. 700 S.F , LIBRARY ROOM 64 REQ. 100 S.F ,DIRECTOR ROOM NOT MENTION CANNOT BE ADJUSTABLE
157	IR16003058	REJECTED	07 FULL TIME FACULTY LESS , 05 COMPUTER LESS
158	IR16003063	REJECTED	DIRECTOR SIGN NOT MENTION
159	IR16003075	REJECTED	DIRECTOR SIGN NOT UPLOADED
160	IR16003080	REJECTED	COLLEGE WORD USED,DIRECTOR SIGNATURE NOT UPLOADED
161	IR16003087	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
162	IR16003120	REJECTED	DIRECTOR NOT QUALIFIED,01 PRINTER LESS,FACULTY QUALIFICATION NOT CLEAR, CLASSROOM 581 S.F REQ. 700 S.F, DIRECTOR PHOTO AND SIGNATURE NOT UPLOADED
163	IR16003133	REJECTED	1 FACULTY LESS,COMP LAB 200 SQ FT,CLASS ROOM 200 SQFT TOTAL AREA 1450 SQ FT
164	IR16003135	REJECTED	DIRECTOR SIG. NOT UPLOAD., 1 - MAZ LESS., DIRECTOR NOT QUALIFIED.
165	IR16003144	REJECTED	2 CLASS ROOM 576 SQ FT
166	IR16003161	REJECTED	1MAG.LESS, 2 PRINTER LESS
167	IR16003172	REJECTED	01 FACULTY REQ FOR DCA, 02 MAZ LESS, DIRECTOR NOT QUALIFIED FOR FACULTY
168	IR16003203	REJECTED	DIR SIG NOT UPLOAD
169	IR16003207	REJECTED	CARPET AREA LESS FOR CLASS ROOM, DIRECTOR ROOM
170	IR16003218	REJECTED	DIR. SIG NOT UPLOAD
171	IR16003249	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
172	IR16003257	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED, 01 MAGZINE LESS
173	IR16003259	REJECTED	DIRECTOR SIG NOT UPLOAD, 1 PRINTER LESS, CLASS ROOM 330 SQ.FT.

174	IR16003267	REJECTED	DIRECTOR SIGN NOT MENTION
175	IR16003274	REJECTED	01 FULL TIME FACULTY LESS FOR DCA, DIRECTOR CANNOT BE FACULTY
176	IR16003275	REJECTED	SAME DIR II FORM NO 6642 ,DIR SIG NOT UPLOAD
177	IR16003280	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED, CLASSROOM 600 S.F REQ. 700 S.F, COMPUTER LAB 200 REQ. 300 S.F
178	IR16003282	REJECTED	01 FACULTY LESS FOR PGDCA, DIRECTOR ROOM NOT MENTION, 01 PRINTER LESS, SAME DIR IR 3268, 2443
179	IR16003286	REJECTED	01 FACULTY LESS AND FULLTIME/ PART TIME NOT MENTION, 01 PRINTER LESS
180	IR16003292	REJECTED	DIRECTOR SIG. NOT UPLOAD.,2 MAG LESS,FACULTY NOT QUALIFIED
181	IR16003321	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
182	IR16003332	REJECTED	DIRECTOR QUALIFICATION NOT MENTION, CARPET AREA LESS, CLASS ROOM 450 SQ.FT.
183	IR16003345	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA,CLASS ROOM 600 S.F REQ 700 S.F
184	IR16003365	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED,
185	IR16003371	REJECTED	DIR. NOT QUALIFIED,COMP LAB 250 SQ FT,INDIA WORD USE
186	IR16003387	REJECTED	FACULTY FULLTIME/PART TIME NOT MENTION,DIRECTOR NOT QUALIFIED, CARPET AREA NOT CLEAR
187	IR16003397	REJECTED	MENTION FACULTY IS NOT QUALIFIED
188	IR16003410	REJECTED	01 MAGZINE LESS, DIRECTOR SIGNATURE NOT UPLOADED
189	IR16003412	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
190	IR16003445	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED, CLASS ROOM 654 REQ. 700 S.F
191	IR16003458	REJECTED	DIRECTOR QUA. NOT PG DEGREE SAME DIR JITENDRA SINGH
192	IR16003462	REJECTED	01 FULL TIME FACULTY IS LESS FOR DCA, DIRECTOR CANNOT BE FACULTY
193	IR16003469	REJECTED	DIRECTOR QUA. NOT MENTION,FULL TIME PART TIME NOT MENTION,1 MAZ LESS,2 PRINTER LESS
194	IR16003473	REJECTED	DIRECTOR SIG. NOT UPLOAD., 1- PRINTER LESS.
195	IR16003481	REJECTED	CLASSROOM 650 S.F REQ. 700 S.F,COMPUTER LAB 192 S.F REQ. 300 S.F , DIRECTOR ROOM 120 REQ. 150 S.F,01 MAGZINE LESS CANNOT BE ADJUSTABLE
196	IR16003516	REJECTED	DIR. SIG NOT UPLOAD,1 MAZ LESS ,1 PRINTER LESS
197	IR16003521	REJECTED	01 PRINTER LESS, 01 MAGZINE LESS, DIRECTOR SIGNATURE NOT UPLOADED
198	IR16003522	REJECTED	1 PRINTER LESS,2 CLASSROOM 435 SQ FT,COMP. LAB279 SQ FT TOTAL AREA 1375 SQ FT
199	IR16003547	REJECTED	COMPUTER LAB 270 S.F REQ. 300 S.F,DIRECTOR NOT QUALIFIED,02 MAGZINE LESS
200	IR16003551	REJECTED	OR NOT ,02 MAGZINE LESS, COMPUTER LAB 150 REQ. 300 S.F TOTAL CARPET AREA SUFFICIENT , DIRECTOR PHOTO NOT UPLOADED
201	IR16003581	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED,FACULTY FULLTIME/PART TIME NOT MENTION,02 PRINTER LESS, DIRECTOR NOT QUALIFIED

202	IR16003582	REJECTED	DIR. SIG NOT UPLOAD
203	IR16003595	REJECTED	DIRECTOR SIG NOT UPLOAD, 1 MAZ LESS
204	IR16003628	REJECTED	DIRECTOR SIG. NOT UPLOAD.
205	IR16003629	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED,01 PRINTER LESS
206	IR16003631	REJECTED	DIRECTOR SIG. NOT UPLOAD., COLLEGE WORD USE
207	IR16003642	REJECTED	01 PRINTER LESS, CLASSROOM 180 S.F REQ. 700 S.F,DIRECTOR ROOM 64 REQ. 150 S.F TOTAL CARPET AREA IS LESS 1564-890 +150=824 S.F
208	IR16003645	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED,DIRECTOR NOT QUALIFIED, 01 PRINTER LESS
209	IR16003651	REJECTED	02 FACULTY LESS, CLASS ROOM 600 REQ. 700 S.F, COMPUTER LAB 250 REQ. 300 S.F
210	IR16003668	REJECTED	CLASSROOM 280 S.F REQ. 700 S.F, COMPUTER ROOM 280 S.F REQ 300,LIBRARY ROOM 70 REQ 100 S.F,TOTAL CARPET AREA IS LESS 3136-2120 +150=1166 S.F,
211	IR16003676	REJECTED	CLASSROOM 600 S.F REQ. 700 S.F, COMPUTER LAB 130 REQ. 300 S.F TOTAL CARPET AREA IS LESS 1550-300 +150=1400 S.F, 01 MAGZINE LESS
212	IR16003708	REJECTED	COLLEGE WORD USED,DIRECTOR SIGNATURE NOT UPLOADED,01 FACULTY LESS
213	IR16003714	REJECTED	DIRECTOR NOT QUALIFIED ONLY GRADUATE,4 FACULTY LESS CLASS ROOM SIZE LESS
214	IR16003727	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED, 02 MAGZINE LESS,FACULTY FULLTIME/PART TIME NOT MENTION
215	IR16003732	REJECTED	DIRECTOR SIG. NOT UPLOAD.,
216	IR16003733	REJECTED	COLLEGE WORD USED,02 PRINTER LESS
217	IR16003734	REJECTED	DIRECTOR SIG. NOT UPLOAD.,
218	IR16003736	REJECTED	DIR. SIG NOT UPLOAD,1 FACULTY LESS, DIR.NOT PG DEGREE
219	IR16003738	REJECTED	DIRECTOR NOT QUALIFIED, 1 MAG.LESS, COLLEGE WORD USE
220	IR16003750	REJECTED	DIRECTOR IS NOT QUALIFIED, 01 FULL TIME FACULTY LESS FOR DCA
221	IR16003758	REJECTED	COMPUTER LAB 200 S.F REQ. 300 S.F, DIRECTOR SIGNATURE NOT UPLOADED
222	IR16003774	REJECTED	CLASSROOM 558 S.F REQ. 700 S.F, COMPUTER LAB 294 REQ. 300 S.F,TOTAL CARPET AREA IS LESS 1931-614 +150=1467 S.F,01 PRINTER LESS
223	IR16003779	REJECTED	01 FULL TIME FACULTY LESS FOR DCA,DIRECTOR SIGNATURE NOT UPLOADED
224	IR16003783	REJECTED	2 CLASSROOM 500 SQ FT TOTAL AREA 1502 SQ FT
225	IR16003785	REJECTED	2 PRINTER LESS
226	IR16003790	REJECTED	01 FULL TIME FACULTY LESS FOR DCA
227	IR16003799	REJECTED	DIR SIG NOT UPLOAD,COLLEGE WORD USED
228	IR16003850	REJECTED	02 PRINTER LESS,DIRECTOR SIGNATURE NOT UPLOADED
229	IR16003876	REJECTED	02 PRINTER LESS

230	IR16003884	REJECTED	CLASSROOM 440 S.F REQ. 700 S.F, COMPUTER ROOM 220 S.F REQ 300 TOTAL CARPET AREA IS LESS 1880-650 +150=1380 S.F,FACULTY FULLTIME/PART TIME NOT MENTION
231	IR16003893	REJECTED	02 PRINTER LESS
232	IR16003896	REJECTED	01 FULL TIME FACULTY LESS FOR DCA, DIRECTOR CANNOT BE A FACULTY,
233	IR16003902	REJECTED	CARPET AREA - 2 CLASS ROOM 400 SQ.FT. , COMPUTER LAB 200 SQ.FT.
234	IR16003918	REJECTED	CLASSROOM NOT MENTIONED, COM LAB NOT MENTIONED, 2 PRINTER LESS, SAME DIRECTOR 2129IR
235	IR16003921	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
236	IR16003930	REJECTED	DIRECTOR SIGNATURE NOT UPLOAD, CLASS ROOM 600 S.F REQ. 700 S.F
237	IR16003952	REJECTED	01 FULL TIME FACULTY LESS FOR DCA
238	IR16003955	REJECTED	01 MAGZINE LESS, DIRECTOR SIGNATURE NOT UPLOADED
239	IR16003959	REJECTED	FACULTY NOT QUALIFIED , DIR SIG NOT UPLOAD
240	IR16003968	REJECTED	01 FULL TIME FACULTY LESS FOR DCA
241	IR16003976	REJECTED	2 PRINTER LESS
242	IR16003983	REJECTED	01 FULL TIME FACULTY LESS FOR DCA,01 PRINTER LESS, SAME DIR IR 6266
243	IR16004005	REJECTED	DIR. SIG NOT UPLOAD
244	IR16004047	REJECTED	DIRECTOR NOT QUALIFIED, 01 FACULTY LESS, 01 PRINTER LESS ,01 MAGZINE LESS,DIRECTOR SIGNATURE NOT UPLOADED
245	IR16004052	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA,DIRECTOR SIGNATURE NOT UPLOADED
246	IR16004057	REJECTED	DIRECTOR SIG. NOT UPLOAD.
247	IR16004065	REJECTED	01 FULL TIME FACULTY LESS , FACULTY QUALIFICATION MENTION GRADUATE, DIRECTOR CANNOT BE FACULTY,
248	IR16004076	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA, CLASSROOM 400 S.F REQ. 700 S.F
249	IR16004084	REJECTED	DIRECTOR SIGN NOT MENTION
250	IR16004088	REJECTED	CLASSROOM 400 S.F REQ. 700 S.F,TOTAL CARPET AREA IS LESS 1664-500 +150=1314 S.F, DIRECTOR SIGNATURE NOT UPLOADED,DIRECTOR QUALIFICATION MENTION PG,01 MAGZINE LESS,01 PRINTER LESS
251	IR16004091	REJECTED	02 PRINTER LESS
252	IR16004093	REJECTED	DIRE. NOT P.G., FULL TIME PART TIME NOT MENTION.
253	IR16004103	REJECTED	CLASSROOM 600 S.F REQ. 700 S.F, TOTAL CARPET AREA IS LESS 1750-450 +150=1450 S.F, SAME DIR IR 6734
254	IR16004109	REJECTED	DIR. NOT QUALIFIED,1 MAZ LESS ,DIR SIG NOT UPLOAD
255	IR16004113	REJECTED	01 FULL TIME FACULTY LESS FOR DCA, CLASSROOM 435 S.F REQ. 700 S.F,COMPUTER ROOM 288 S.F REQ 300, 01 PRINTER LESS

256	IR16004144	REJECTED	DIRECTOR SIG. NOT UPLOAD.
257	IR16004149	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
258	IR16004155	REJECTED	1 FACULTY LESS,2 CLASS ROOM 360 SQFT
259	IR16004158	REJECTED	01 FULL TIME FACULTY LESS , DIRECTOR CANNOT BE FACULTY
260	IR16004185	REJECTED	DIR SIG NOT UPLOAD
261	IR16004187	REJECTED	CLASSROOM 617 S.F REQ 700 S.F, COMPUTER LAB 156 S.F REQ. 300 S.F, LIBRARY ROOM 83 S.F REQ. 100 S.F TOTAL CARPET AREA IS LESS, 01 MAGZINE LESS
262	IR16004189	REJECTED	CLASS ROOM 600 SQFT,DIR SIG NOT UPLOAD
263	IR16004212	REJECTED	CLASSROOM 511 S.F REQ 700 S.F, COMPUTER LAB 245 S.F REQ 300 S.F TOTAL CARPET AREA IS LESS 1596-260 +150=1486 S.F, 01 MAGZINE LESS
264	IR16004216	REJECTED	DIRECTOR PHOTO & SIG NOT UPLOAD.
265	IR16004224	REJECTED	01 FULL TIME FACULTY LESS FOR DCA,02 PRINTER LESS, 01 MAGZINE LESS
266	IR16004231	REJECTED	FULL TIME PARTTIME NOT MENTION, CLASSROOM NOT SUFFICIENT, 1 PRINTER LESS , DIR SIG NOT UPLOAD
267	IR16004240	REJECTED	DIR. SIG NOT UPLOAD
268	IR16004243	REJECTED	DIR. SIGNATURE NOT UPLOAD
269	IR16004248	REJECTED	CLASSROOM 500 S.F REQ. 700 S.F, COMPUTER LAB 200 REQ. 300 S.F CANNOT BE ADJUSTABLE TOTAL CARPET AREA IS LESS 1700-400 +150=1450 S.F, 01 PRINTER LESS,DIRECTOR SIGNATURE NOT UPLOADED
270	IR16004254	REJECTED	DIRECTOR NOT QUALIFIED,
271	IR16004256	REJECTED	DIRECTOR SIG. NOT UPLOAD.
272	IR16004269	REJECTED	01 FULL TIME FACULTY LESS FOR DCA
273	IR16004274	REJECTED	DIRECTOR PHOTO AND SIGNATURE NOT UPLOADED
274	IR16004276	REJECTED	DIRECTOR SIG. NOT UPLOAD., 2- PRINTER LESS, 1 FACULTY LESS
275	IR16004291	REJECTED	COLLEGE WORD USED,01 FULL TIME FACULTY LESS FOR PGDCA
276	IR16004296	REJECTED	1 FACULTY LESS, CLASS ROOM 302 SQ.FT, COM LAB 417 SQ.FT, 2 MAG.LESS , 2 PRINTER LESS
277	IR16004300	REJECTED	DIRECTOR SIG NOT UPLOAD ON PHOTO,1 MAZ LESS
278	IR16004305	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED,
279	IR16004307	REJECTED	DIRECTOR PHOTO & SIGN NOT SHOWN
280	IR16004309	REJECTED	DIRECTOR NOT PG DEGREE
281	IR16004310	REJECTED	2 PRINTER LESS
282	IR16004331	REJECTED	CLASS ROOM, 330 SQ. FT ONLY SHOWN

283	IR16004341	REJECTED	FACULTY IS QUALIFIED BUT NATURE OF APPLICANT FULLTIME/PART TIME NOT MENTION, 01 PRINTER LESS, CLASSROOM 500 S.F REQ. 700 S.F, LIBRARY ROOM AND RECEPTION ROOM NOT MENTION
284	IR16004344	REJECTED	DIRECTOR SIG. NOT UPLOAD.,
285	IR16004363	REJECTED	DIRECTOR NOT PG DEGREE,1 FACULTY LESS, INDIA WORD USED
286	IR16004370	REJECTED	DIRCTOR NOT QUALIFIED , 2- MAZ LESS.
287	IR16004384	REJECTED	COLLEGE WORD USED,SAME DIRECTOR,COLLEGE WORD USE, 1ST FORM 8062
288	IR16004391	REJECTED	01 MAGZINE LESS, DIRECTOR PHOTO NOT UPLOADED
289	IR16004404	REJECTED	DIRECTOR SIGNATURE NOT UPLOAD, 01 MAGZINE LESS, COLLEGE WORD USE
290	IR16004409	REJECTED	DIRECTOR PHOTO & SIG. NOT UPLOAD, CARPET AREA - CLASS ROOM 1300 SQ.FT. , COMPUTER LAB 300 SQ.FT.
291	IR16004411	REJECTED	COMPUTER LAB NOT MENTION, TOTAL CARPET AREA IS LESS 2340-1000 +150=1420 S.F,
292	IR16004420	REJECTED	DIRECTOR QUALIFICATION MENTION PG,01 FACULTY QUALIFICATION MENTION PG, 01 MAGZINE LESS ,DIRECTOR SIGNATURE NOT UPLOADED
293	IR16004421	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
294	IR16004424	REJECTED	CLASSROOM 360 S.F REQ. 700 S.F, COMPUTER ROOM 180 S.F REQ 300 TOTAL CARPET AREA IS LESS 2200-1500 +150=85 S.F, 04 COMPUTER LESS
295	IR16004431	REJECTED	1 - PRINTER LESS., DIRECTOR NOT QUALIFIED.
296	IR16004438	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED,02 MAGZINE LESS
297	IR16004439	REJECTED	SAME DIRE. IIND FORM 4242, IIIRD FORM 7794
298	IR16004446	REJECTED	DIRECTOR NOT QUALIFIED,1 FACULTY LESS.
299	IR16004450	REJECTED	FACULTY FULL TIME/ PART TIME NOT MENTION,DIRECTOR SIGNATURE NOT UPLOADED,
300	IR16004468	REJECTED	COLLEGE WORD USED ,DIR. NOT QUALIFIED
301	IR16004487	REJECTED	CLASSROOM 530 S.F REQ. 700 S.F , SAME DIR IR 3624
302	IR16004488	REJECTED	DIRECTOR SIG. NOT UPLOAD.,
303	IR16004498	REJECTED	DIR SIG NOT UPLOAD,
304	IR16004507	REJECTED	CLASSROOM 161 S.F REQ. 700 S.F, TOTAL CARPET AREA IS LESS 1500-584 +150=1066 S.F, 01 PRINTER LESS
305	IR16004508	REJECTED	COMPUTER LAB 200 SQ.FT, CLASS ROOM 300 SQ.FT. , 1- PRINTER LESS.
306	IR16004515	REJECTED	COLLEGE WORD USED,DIRECTOR NOT QUALIFIED, DIRECTOR SIGN NOT UPLOADED, DIRECTOR ROOM AND OFFICE ROOM NOT MENTION

307	IR16004516	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED,DIRECTOR NOT QUALIFIED, CLASS ROOM 500 REQ. 700 S.F ,01 MAGZINE LESS
308	IR16004517	REJECTED	01 FULL TIME FACULTY LESS FOR DCA, LAB ASSTT. IS NOT A FACULTY
309	IR16004526	REJECTED	FACULTY PART TIME FULL TIME NOT MENTION DIRECTOR SIG. NOT UPLOAD.,
310	IR16004535	REJECTED	01 FULL TIME FACULTY IS LESS FOR DCA,01 MAGZINE LESS
311	IR16004545	REJECTED	DIRECTOR NOT PG DEGREE
312	IR16004551	REJECTED	CLASSROOM 104 S.F REQ. 700 S.F, COMPUTER ROOM 214 S.F REQ 300 TOTAL CARPET AREA IS LESS 1500-822 +150=828 S.F, 01 PRINTER LESS
313	IR16004568	REJECTED	CLASSROOM 476 S.F REQ. 700 S.F, COMPUTER LAB 280 REQ. 300 S.F , DIRECTOR ROOM 125 REQ. 150 S.F CANNOT BE ADJUSTABLE, 02 MAGZINE LESS
314	IR16004570	REJECTED	01 FACULTY LESS FOR PGDCA, DIRECTOR CANNOT BE A FACULTY, LAB ASSTTANT IS NOT A FACULTY, 01 MAGZINE LESS
315	IR16004574	REJECTED	CLASSROOM 500 S.F REQ 700 , 01 MAGZINE LESS, COMPUTER 06 REQ 14, 01 PRINTER LESS
316	IR16004592	REJECTED	COLLEGE WORD USED,DIRECTOR NOT QUALIFIED, FACULTY QUALIFICATION NOT CLEAR, CLASSROOM 400 S.F REQ. 700 S.F
317	IR16004611	REJECTED	1 FACULTY LESS,FULL TIME PARTB TIME NOT MENTION,1 PRINTER LESS,DIRECTOR SIG NOT UPLOAD ON PHOTO
318	IR16004612	REJECTED	2 PRINTER LESS
319	IR16004642	REJECTED	CLASSROOM 448 S.F REQ 700 S.F, COMPUTER LAB 180 S.F REQ. 300 S.F, TOTAL CARPET AREA IS LESS 1628-340+150=1438 S.F,
320	IR16004649	REJECTED	DIRECTOR NOT QUALIFIED,PART TIME FULL TIME NOT MENTION,1 PRINTER LESS,1 FACULTY LESS
321	IR16004651	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED,CLASSROOM 420 S.F REQ. 700 S.F, TOTAL CARPET AREA IS LESS 1500-260 +150=1390 S.F
322	IR16004671	REJECTED	01 FACUL LESS, 01 MAG LESS
323	IR16004672	REJECTED	DIR SIG. NOT UPLOAD
324	IR16004676	REJECTED	CLASSROOM 900 S.F REQ. 1600 S.F, TOTAL CARPET AREA IS LESS 3000-1000 +200=2200 S.F,01 MAGZINE LESS, DIRECTOR PHOTO NOT UPLOADED
325	IR16004678	REJECTED	01 FACULTY LESS, 01 MAG LESS
326	IR16004696	REJECTED	DIR. NOT QUALIFIED,1 PRINTER LESS
327	IR16004707	REJECTED	DIR. SIG NOT UPLOAD,CLASS ROOM 540 SQ FT
328	IR16004717	REJECTED	CLASSROOM 640 S.F REQ. 700 S.F,COMPUTER LAB 250 S.F REQ. 300 S.F TOTAL CARPET AREA IS LESS 2070-800 +150=1420 S.F,
329	IR16004726	REJECTED	DIRECTOR SIG. NOT UPLOAD.,

330	IR16004727	REJECTED	1 FACULTY LESS,2 CLASS ROOM 400 SQFT TOTAL AREA 1350 SQ FT, 2 PRINTER LESS,DIR SIG. NOT UPLOAD,
331	IR16004731	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
332	IR16004734	REJECTED	COLLEGE WORD USED,DIRECTOR SIGNATURE NOT UPLOADED
333	IR16004738	REJECTED	1 MAZ LESS ,DIRECTOR SIG. NOT UPLOAD.,
334	IR16004739	REJECTED	01 FULL TIME FACULTY IS LESS FOR PGDCA, CLASSROOM 600 S.F REQ 700 S.F
335	IR16004752	REJECTED	COLLEGE WORD USED, SIG NOT UPLOAD
336	IR16004758	REJECTED	02 FULL TIME FACULTY LESS , DIRECTOR CANNOT BE FACULTY,DIRECTOR QUALIFICATION MENTION PG, CLASSROOM 396 S.F REQ. 700 S.F, COMPUTER LAB 117 REQ. 300 S.F, 02 PRINTER LESS
337	IR16004763	REJECTED	DIR. NOT QUALIFIED (NOT PG DEGREE)1 NO FACULTY LESS,2 MAZ LESS ,2 CLASS ROOM 288 SQ FT
338	IR16004769	REJECTED	DIRECTOR NOT QUALIFIED,
339	IR16004782	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA, DIRECTOR CANNOT BE A FACULTY,
340	IR16004785	REJECTED	CLASSROOM 440 S.F REQ. 700 S.F, TOTAL CARPET AREA IS LESS 3350-2210 +150=1290 S.F,01 MAGZINE LESS
341	IR16004787	REJECTED	01 PRINTER LESS, FACULTY FULLTIME/PART TIME NOT MENTION, CLASSROOM 458 S.F REQ. 700 S.F,COMPUTER LAB 192 REQ. 300 S.F TOTAL CARPET AREA IS LESS 1738-450 +150=1438 S.F
342	IR16004788	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED, 02 MAGZINE LESS
343	IR16004793	REJECTED	02 FULL TIME FACULTY LESS ,DIRECTOR CANNOT BE FACULTY,DIRECTOR NOT QUALIFIED, 02 PRINTER LESS, CLASS ROOM 300 REQ 700 S.F
344	IR16004823	REJECTED	SAME DIR.,II FORM NO 4558 OK
345	IR16004826	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
346	IR16004831	REJECTED	01 FULL TIME FACULTY LESS ,DIRECTOR CANNOT BE A FACULTY, CLASSROOM 400 S.F REQ. 700 S.F, COMPUTER LAB 200 REQ. 300 S.F, 01 PRINTER LESS
347	IR16004844	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA,01 MAGZINE LESS,COMPUTER LAB,LIBRARY ROOM AND RECEPTION ROOM NOT MENTION, DIRECTOR ROOM 120 REQ. 150 S.F SPACE NOT ADJUSTABLE
348	IR16004845	REJECTED	DIRECTOR NOT QUALIFIED
349	IR16004851	REJECTED	1 MAZ LESS, NO SIG UPLOAD
350	IR16004858	REJECTED	DIRECTOR NOT QUALIFIED, CLASSROOM 693 S.F REQ. 700 S.F, DIRECTOR ROOM 144 REQ. 150 S.F
351	IR16004860	REJECTED	1 FACULTY REQUIRED,PART TIME FULL TIME NOT ,MENTION 2 CLASS ROOM 500 SQ FT
352	IR16004866	REJECTED	DIRECTOR SIG. NOT UPLOAD., DIR. NAME NOT MENTION
353	IR16004873	REJECTED	DIRECTOR SIG. NOT UPLOAD, 1- MAZ LESS.
354	IR16004875	REJECTED	FACULTY FULL TIME/ PART TIME NOT MENTION, DIRECTOR NOT QUALIFIED
355	IR16004891	REJECTED	01 FULL TIME FACULTY LESS FOR DCA, DIRECTOR NOT QUALIFIED FOR FACULTY,
356	IR16004896	REJECTED	01 MAGZINE LESS, 01 FULL TIME FACULTY LESS , DIRECTOR CANNOT BE FACULTY

357	IR16004901	REJECTED	CLASS ROOM 400 SQ.FT LESS, TOTAL AREA 1200 SQ.FT. , 1-MAZ LESS, 1- FACULTY LESS, FULL TIME & PART TIME NOT MENTION
358	IR16004909	REJECTED	01 MAGZINE LESS, CLASSROOM 450 S.F REQ. 700 S.F,TOTAL CARPET AREA IS LESS 1744-452+150=1442 S.F
359	IR16004917	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED, COMPUTER LAB 250 REQ. 300 S.F
360	IR16004929	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
361	IR16004953	REJECTED	02 PRINTER LESS, COMPUTER LAB 170 REQ. 300 S.F
362	IR16004973	REJECTED	CLASSROOM 1100 S.F REQ 1600, COMPUTER ROOM 360 S.F REQ 450 S.F, 2 PRINTER LESS, SAME DIR IR 2141
363	IR16004976	REJECTED	CLASSROOM 390 S.F REQ. 700 S.F, DIRECTOR ROOM 56 REQ. 150 S.F,TOTAL CARPET AREA IS LESS 1541-600 +150=1091 S.F, 01 MAGZINE LESS
364	IR16004983	REJECTED	DIR. NOT QUALIFIED
365	IR16004984	REJECTED	2 CLASS ROOM ONLY 400 SQ FT, 1 FACULTY LESS TOTAL AREA 1200 SQ FT
366	IR16004990	REJECTED	DIRECTOR SIG. NOT UPLOAD.,
367	IR16004991	REJECTED	DIRECTOR SIG. NOT UPLOAD.,1 MAG LESS,1 FACULTY REQUIRED
368	IR16005018	REJECTED	DIRECTOR PG DEGREE NOT MENTION , BA, B.ED, DCA
369	IR16005019	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
370	IR16005025	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED, 01 MAGZINE LESS
371	IR16005029	REJECTED	DIRCTOR NOT QUALIFIED,PART TIME FULL TIME NOT MENTION, ONE PRINTER LESS
372	IR16005039	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
373	IR16005041	REJECTED	DIRECTOR ONLY DCA, 1- FACULTY LESS, 1- MAZ LESS, 1- PRINTER LESS.
374	IR16005053	REJECTED	DIRECTOR SIGN NOT MENTION
375	IR16005063	REJECTED	COLLEGE WORD USED,DIRECTOR SIGNATURE NOT UPLOADED, FACULTY FULLTIME/PART TIME NOT MENTION
376	IR16005070	REJECTED	01 FULL TIME FACULTY IS LESS FOR DCA, PART TIME FACULTY IS NOT ALLOWED, 02 MAGZINE LESS
377	IR16005073	REJECTED	DIRECTOR NOT P.G. DEGREE., 1 MAZ LESS.
378	IR16005086	REJECTED	2 MAZ LESS, 2 CLASS ROOM 640 SQ.FT. SHOWN, DIRECTOR SIG. NOT UPLOAD
379	IR16005107	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED, DIRECTOR NAME NOT MENTION
380	IR16005115	REJECTED	01 FACUL LESS, 01 MAG LESS
381	IR16005124	REJECTED	DIR. SIGNATURE NOT UPLOAD
382	IR16005128	REJECTED	02 PRINTER LESS, 01 MAGZINE LESS
383	IR16005131	REJECTED	INDIA WORD USED,1 FACULTY LESS,FULL TIME PART TIME NOT MENTION,DIR. NOT QUALIFIED
384	IR16005135	REJECTED	DIRECTOR NOT PG DEGREE ,1 MAZ LESS

385	IR16005155	REJECTED	CLASSROOM 630 S.F REQ. 700 S.F, TOTAL CARPET AREA IS LESS 1500-250 +150=1400 S.F, 01 PRINTER LESS
386	IR16005166	REJECTED	9 COMPUTER LESS,CLASS ROOM 585 SQ FT
387	IR16005169	REJECTED	DIR. SIGNATURE NOT UPLOAD
388	IR16005177	REJECTED	DIRECTOR SIG. NOT UPLOAD., 1 PRINTER LESS
389	IR16005188	REJECTED	DIRECTOR NOT QUALIFIED, 01 FACULTY LESS ,CLASSROOM 400 S.F REQ. 700 S.F
390	IR16005199	REJECTED	02 PRINTER LESS
391	IR16005206	REJECTED	DIRECTOR IS NOT QUALIFIED, B.E IS NOT MASTER DEGREE, FACULTY FULL TIME/PART TIME NOT MENTION
392	IR16005210	REJECTED	COLLEGE WORD USED,01 FULL TIME FACULTY LESS FOR DCA, 02 PRINTER LESS
393	IR16005227	REJECTED	DIRECTOR SIG. NOT UPLOAD.,
394	IR16005232	REJECTED	CLASSROOM 439 S.F REQ. 700 S.F, COMPUTER ROOM 143 REQ. 300 S.F,02 FULL TIME FACULTY LESS ,02 MAGZINE LESS
395	IR16005235	REJECTED	01 PRINTER LESS , SAME DIR IR 6360
396	IR16005242	REJECTED	FULL TIME PART TIME NOT MENTION, CARPET AREA NOT FULL FILL, DIR SIG NOT UPLOAD,
397	IR16005252	REJECTED	DIRE. SIG. NOT MENTION.
398	IR16005255	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED,01 FULL TIME FACULTY LESS, COMPUTER LAB 1800 REQ. 300 S.F,
399	IR16005262	REJECTED	01 FULL TIME FACULTY LESS FOR DCA , CONSULAR CANNOT BE A FACULTY
400	IR16005264	REJECTED	01 MAGZINE LESS, DIRECTOR SIGNATURE NOT UPLOADED
401	IR16005269	REJECTED	DIRECTOR SIG. NOT UPLOAD.,
402	IR16005272	REJECTED	CARPER AREA 4 CLASS ROOM FOR 1600 SQ.FT. TOTAL AREA = 2031 SQ.FT.
403	IR16005287	REJECTED	CLASSROOM 400 S.F REQ. 700 S.F,RECEP/OFFICE ROOM NOT MENTION CANNOT BE ADJUSTABLE
404	IR16005291	REJECTED	DIRECTOR SIGN NOT UPLOADED,DIRECTOR NOT QUALIFIED,01 FULL TIME FACULTY LESS FOR PGDCA
405	IR16005303	REJECTED	2 PRINTER LESS
406	IR16005304	REJECTED	2 - COMPUTER LESS.
407	IR16005310	REJECTED	DIRECTOR PHOTO AND SIGNATURE NOT UPLOADED
408	IR16005325	REJECTED	1 FACULTY REQ, CLASS ROMONLY 600 SQ.FT.
409	IR16005327	REJECTED	DIRECTOR SIGN NOT UPLOADED, 01 MAGZINE LESS
410	IR16005352	REJECTED	CLASSROOM 350 S.F REQ. 700 S.F, TOTAL CARPET AREA IS LESS 1620-550 +150=1220 S.F
411	IR16005365	REJECTED	02 PRINTER LESS, DIRECTOR SIGNATURE NOT UPLOADED
412	IR16005370	REJECTED	FULL TIME & PART TIME NOT MENTION ,1 MAZ LESS ,CLASS ROOM AREA 263 SQ FT ONLY TOTAL AREA 1334 SQ FT

413	IR16005374	REJECTED	DIRECTOR SIG. NOT UPLOAD.,MAHAVIDYALAY WORD USED
414	IR16005381	REJECTED	DIRECTOR NOT QUALIFIED
415	IR16005389	REJECTED	DIRECTOR SIG. NOT UPLOAD., COLLEGE WORD USED
416	IR16005391	REJECTED	NAME /QUALIFICATION NOT FULLFILL,NO FACULTY,2 FACULTY LESS
417	IR16005406	REJECTED	2 CLASS ROOM 550 SQ FT ,2 MAZ LESS
418	IR16005428	REJECTED	CLASSROOM 480 S.F REQ. 700 S.F, CANNOT BE ADJUSTABLE TOTAL CARPET AREA IS LESS 1513-350 +150=1313 S.F,
419	IR16005453	REJECTED	2- PRINTER LESS, 2 MAZ LESS
420	IR16005464	REJECTED	02 PRINTER LESS
421	IR16005469	REJECTED	1 FACULTY LESS, DIRE. NAME NOT MENTION, CARPET AREA- COMP.LAB - 200 SQ.FT., 2- COMPUTER LESS.
422	IR16005472	REJECTED	CLASS ROOM 521 REQ. 700 S.F , LIBRARY ROOM 80 REQ. 100 S.F CANNOT BE ADJUSTABLE,01 MAGZINE LESS
423	IR16005474	REJECTED	DIRECTOR SIGN NOT UPLOADED, 02 PRINTER LESS
424	IR16005476	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA,DIRECTOR CANNOT BE FACULTY,DIRECTOR SIGNATURE NOT UPLOADED
425	IR16005478	REJECTED	01 FACULTY LESS
426	IR16005480	REJECTED	DIRECTOR NOT QUALIFIED ONLY B.E
427	IR16005490	REJECTED	2- PRINTER REQ.
428	IR16005492	REJECTED	DIRECTOR SIGN NOT UPLOADED, 01 PRINTER LESS, FACULTY FULLTIME/PART TIME NOT MENTION
429	IR16005496	REJECTED	2- PRINTER REQ.
430	IR16005498	REJECTED	DIRECTOR SIG. NOT UPLOAD., DIR. NOT QUALIFIED
431	IR16005522	REJECTED	01 FACUL LESS, 01 MAG LESS
432	IR16005524	REJECTED	DIRECTOR SIGNATURE NOT UPLOAD .
433	IR16005534	REJECTED	DIR. SIG NOT UPLOAD
434	IR16005555	REJECTED	02 PRINTER LESS
435	IR16005563	REJECTED	COLLEGE WORD USED,01 FACULTY QUALIFICATION NOT CLEAR, CLASSROOM 440 S.F REQ. 700 S.F,DIRECTOR ROOM 120 REQ. 150 S.F CANNOT BE ADJUSTABLE
436	IR16005567	REJECTED	DIRECTOR NOT QUALIFIED,01 FACULTY LESS,CLASSROOM 530 S.F REQ. 700 S.F,COMPUTER LAB 228 S.F REQ. 300 S.F, 01 PRINTER LESS, DIRECTOR SIGNATURE NOT UPLOADED,
437	IR16005570	REJECTED	CLASSROOM 254 S.F REQ. 700 S.F,TOTAL CARPET AREA IS LESS 2393-1120 +150=1423 S.F
438	IR16005572	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA,DIRECTOR CANNOT BE A FACULTY
439	IR16005573	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
440	IR16005586	REJECTED	DIRECTOR SIG. NOT UPLOAD., COOLEGE WORD USED ,2 MAZ LESS

441	IR16005591	REJECTED	DIRECTOR SIG. NOT UPLOAD.,
442	IR16005621	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA, CLASSROOM 406 S.F REQ. 700 S.F,COMPUTER LAB 180 REQ. 300 S.F
443	IR16005622	REJECTED	DIR. SIG. NOT UPLOAD
444	IR16005627	REJECTED	CLASSROOM 600 S.F REQ. 700 S.F,COMPUTER LAB 200 S.F REQ. 300 S.F CANNOT BE ADJUSTABLE
445	IR16005629	REJECTED	2- CLASS ROOM ONLY 400 SQ.FT., 1- PRINTER LESS.
446	IR16005643	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
447	IR16005645	REJECTED	1 MAZ LESS,1 CLASS ROOM 300 SQ FT
448	IR16005646	REJECTED	02 FACULTY LESS, CLASS ROOM 600 REQ. 700 S.F, LIBRARY ROOM AND OFFICE ROOM NOT MENTION
449	IR16005650	REJECTED	02 MAGZINE LESS, COMPUTER LAB 260 REQ. 450 S.F, CLASS ROOM 520 REQ. 700 S.F CANNOT BE ADJUSTABLE
450	IR16005659	REJECTED	CLASSROOM 590 S.F REQ. 700 S.F, COMPUTER ROOM 276 REQ. 300 S.F, DIRECTOR ROOM 143 REQ 150 S.F, 01 MAGZINE LESS
451	IR16005665	REJECTED	DIRECTOR SIG. NOT UPLOAD., 1- PRINTER LESS
452	IR16005667	REJECTED	DIRECTOR SIG. NOT UPLOAD.
453	IR16005693	REJECTED	TOTAL CAPET AREA 1300 SQ.FT., 1- MAZ LESS.
454	IR16005698	REJECTED	1 FACULTY LESS,FULL TIME PART TIME NOT MENTION,DIR SIG NOT UPLOAD
455	IR16005716	REJECTED	2 PRINTER LESS
456	IR16005739	REJECTED	2 PRINTER LESS, CARPET AREA - 2 CLASS ROOM 380 SQ.FT. , COMPUTER LAB 264 SQ.FT.
457	IR16005742	REJECTED	02 FACULTY LESS,CLASSROOM 500 S.F REQ. 700 S.F, TOTAL CARPET AREA IS LESS 1500-300 +150=1350 S.F, DIRECTOR SIGNATURE NOT UPLOADED
458	IR16005747	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
459	IR16005761	REJECTED	01 PRINTER LESS. SAME DIRECTOR IR7914
460	IR16005767	REJECTED	DIRECTOR SIG. NOT UPLOAD, 1- PRINTER LESS.
461	IR16005785	REJECTED	CLASSROOM 240 S.F REQ. 700 S.F, DIRECTOR ROOM 117 REQ. 150 S.F ,,01 PRINTER LESS
462	IR16005789	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
463	IR16005790	REJECTED	FACULTY FULLTIME/PART TIME NOT MENTION,DIRECTOR SIGNATURE NOT UPLOADED
464	IR16005791	REJECTED	02 PRINTER LESS
465	IR16005799	REJECTED	CLASSROOM 460 S.F REQ. 700 S.F, COMPUTER ROOM 210 S.F REQ 300 TOTAL CARPET AREA IS LESS 1949-810 +150=1289 S.F
466	IR16005802	REJECTED	DIR SIG NOT UPLOAD
467	IR16005806	REJECTED	DIRECTOR NOT QUALIFIED,01 PRINTER LESS

468	IR16005807	REJECTED	DIRECTOR SIG. NOT UPLOAD., 1 PRINTER LESS,1 MAG LESS
469	IR16005809	REJECTED	02 PRINTER LESS
470	IR16005811	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
471	IR16005814	REJECTED	CLASSROOM 450 S.F REQ. 700 S.F CANNOT BE ADJUSTABLE
472	IR16005815	REJECTED	DIR. SIGNATURE NOT UPLOAD
473	IR16005827	REJECTED	02 PRINTER LESS,DIRECTOR ROOM /FACULTY ROOM 120 REQ 150 S.F
474	IR16005833	REJECTED	DIRECTOR SIGN NOT MENTION,
475	IR16005835	REJECTED	COLLEGE WORD USED,01 FULL TIME FACULTY LESS FOR PGDCA, DIRECTOR CANNOT BE FACULTY, TOTAL CARPET AREA LESS
476	IR16005850	REJECTED	DIRECTOR SIG. NOT UPLOAD.
477	IR16005851	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA,CLASS ROOM 668 S.F REQ 700 S.F
478	IR16005871	REJECTED	DIR. NOT PG,2 MAZ LESS
479	IR16005879	REJECTED	DIRECTOR NOT QUALIFIED, FACULTY FULLTIME/PART TIME NOT MENTION, SAME DIR IR 2606
480	IR16005889	REJECTED	02 PRINTER LESS
481	IR16005891	REJECTED	DIR. SIG NOT UPLOAD
482	IR16005907	REJECTED	CLASSROOM 400 S.F REQ. 700 S.F, TOTAL CARPET AREA IS LESS 1500-200 +150=1450 S.F, 01 MAGZINE LESS
483	IR16005910	REJECTED	CLASSROOM 200 S.F REQ. 700 S.F, COMPUTER LAB 200 REQ. 300 S.F TOTAL CARPET AREA IS LESS 1800-900 +150=1050 S.F
484	IR16005938	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
485	IR16005944	REJECTED	CLASSROOM 204 S.F REQ. 700 S.F, COMPUTER ROOM 282 S.F REQ 300 TOTAL CARPET AREA IS LESS 1737-562 +150=1325 S.F, 02 MAGZINE LESS, DIRECTOR QUALIFICATION MENTION PG, FACULTY FULLTIME/PART TIME NOT MENTION
486	IR16005946	REJECTED	02 PRINTER LESS
487	IR16005949	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA
488	IR16005954	REJECTED	DIRECTOR SIG. NOT UPLOAD.,
489	IR16005976	REJECTED	01 MAGZINE LESS, DIRECTOR SIGNATURE NOT UPLOADED
490	IR16005979	REJECTED	02 PRINTER LESS
491	IR16005984	REJECTED	COLLEGE WORD USED,DIRECTOR SIGNATURE NOT UPLOADED
492	IR16005985	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA, FACULTY FULLTIME/PART TIME NOT MENTION
493	IR16005987	REJECTED	DIRECTOR SIG. NOT UPLOAD., 1- PRINTER LESS, CLASS ROOM 650 SQ.FT.
494	IR16005996	REJECTED	CLASSROOM 500 S.F REQ. 700 S.F CANNOT BE ADJUSTABLE
495	IR16005999	REJECTED	COM LAB 250 SQ FT,2 TUTORIAL ROOM 360 SQ FT, SAME DIR. II FORM NO IR5694

496	IR16006003	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA,FACULTY FULLTIME/PART TIME NOT MENTION,CLASSROOM 600 S.F REQ. 700 S.F
497	IR16006009	REJECTED	DIR. NOT PG,2 MAZ LESS
498	IR16006011	REJECTED	DIRECTOR SIG. NOT UPLOAD.,
499	IR16006020	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
500	IR16006032	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED, CLASSROOM 300 S.F REQ. 700 S.F,TOTAL CARPET AREA IS LESS 1700-500 +150=1350 S.F
501	IR16006042	REJECTED	DIRECTOR NOT QUALIFIED,02 FACULTY LESS AND FULL TIME/ PART TIME NOT MENTION
502	IR16006044	REJECTED	1 FACULTY LESS
503	IR16006053	REJECTED	FACULTY FULLTIME/PART TIME NOT MENTION, CLASSROOM 500 S.F REQ. 700 S.F, COMPUTER LAB 176 REQ. 300 S.F,TOTAL CARPET AREA IS LESS 1563-397 +150=1316 S.F,
504	IR16006055	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
505	IR16006061	REJECTED	,1 MAG.LESS,COLLEGE WORDS USE, DIR SIG NOT UPLOAD
506	IR16006077	REJECTED	COMPUTER LAB NOT MENTION CANNOT BE ADJUSTABLE
507	IR16006095	REJECTED	DIRECTOR PHOTO & SIGN NOT MENTION
508	IR16006102	REJECTED	02 PRINTER LESS
509	IR16006111	REJECTED	02 PRINTER LESS
510	IR16006114	REJECTED	FACULTY FULLTIME/ PART TIME NOT MENTION, DIRECTOR SIGNATURE NOT UPLOADED
511	IR16006118	REJECTED	02 PRINTER AND 02 MAGZINE LESS, DIRECTOR SIGNATURE NOT UPLOADED
512	IR16006126	REJECTED	COLLEGE WORD USED,DIRECTOR SIGNATURE NOT UPLOADED,02 PRINTER LESS, CARPET AREA NOT CLEAR
513	IR16006138	REJECTED	02 MAGZINE LESS, DIRECTOR SIGNATURE NOT UPLOADED, COMPUTER LAB 400 REQ. 450 S.F,FACULTY ROOM 110 REQ. 200 S.F
514	IR16006139	REJECTED	COMPUTER ROOM 162 REQ. 300 S.F, LIBRARY ROOM 88 REQ. 100 S.F CANNOT BE ADJUSTABLE, DIRECTOR QUALIFICATION MENTION PG
515	IR16006140	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
516	IR16006153	REJECTED	DIRECTOR NOT PG DEGREE
517	IR16006176	REJECTED	1 FACULTY LESS, CLASS ROOM 650 SQ.FT, COM LAB 240 SQ.FT, DIR SIG NOT UPLOAD,
518	IR16006181	REJECTED	CLASSROOM 608 S.F REQ 700 S.F, COMPUTER LAB 288 S.F REQ 300 , DIRECTOR ROOM NOT MENTIONED TOTAL CARPET AREA IS LESS 1676-360 +150=1466 S.F, 02 MAGZINE LESS
519	IR16006189	REJECTED	DIRECTOR NOT QUALIFIED ONLY B.A.,2 CLASS ROOM 464 SQ FT
520	IR16006211	REJECTED	FACULTY FULLTIME/PART TIME NOT MENTION, DIRECTOR SIGNATURE NOT UPLOADED
521	IR16006227	REJECTED	CLASSROOM 380 S.F REQ. 700 S.F, COMPUTER ROOM 230 S.F REQ 300 TOTAL CARPET AREA IS LESS 1700-580 +150=1270 S.F,

522	IR16006236	REJECTED	DIR. SIG NOT UPLOAD,1 FACULTY LESS, DIR.NAME NOT MENTION
523	IR16006241	REJECTED	CLASSROOM 528 S.F REQ. 700 S.F,COMPUTER ROOM 223 REQ. 300 S.F CANNOT BE ADJUSTABLE
524	IR16006243	REJECTED	SAME DIRECTOR EXISTING INS. 8086 PARASIA
525	IR16006251	REJECTED	CLASSROOM 661 S.F REQ. 700 S.F, COMPUTER ROOM 241 S.F REQ 300 CANNOT BE ADJUSTABLE
526	IR16006261	REJECTED	01 MAGZINE LESS, 01 FULL TIME FACULTY LESS , DIRECTOR CANNOT BE FACULTY
527	IR16006262	REJECTED	DIR. NOT QUALIFIED,1 PRINTER LESS,2 FACULTY LESS
528	IR16006263	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
529	IR16006264	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED, 01 PRINTER LESS
530	IR16006265	REJECTED	02 PRINTER LESS, 01 FULL TIME FACULTY LESS FOR PGDCA, CLASS ROOM 384 REQ. 700 S.F
531	IR16006268	REJECTED	DIRECTOR SIG. NOT UPLOAD.,
532	IR16006274	REJECTED	COLLEGE WORD USED,CLASSROOM 500 S.F REQ 700 , DIRECTOR SIGN NOT UPLOADED
533	IR16006286	REJECTED	FACULTY FULLTIME/PART TIME NOT MENTION,DIRECTOR SIGNATURE NOT UPLOADED
534	IR16006293	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
535	IR16006295	REJECTED	1 MAZ LESS,DIR SIG NOT UPLOAD
536	IR16006297	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED, 02 FACULTY LESS , DIRECTOR CANNOT BE FACULTY
537	IR16006311	REJECTED	DIRECTOR NOT QUALIFIED,02 PRINTER LESS,TUTORIAL ROOM 600 REQ 700 S.F, DIRECTOR ROOM 75 REQ 150 S.F
538	IR16006323	REJECTED	01 FACULTY LESS
539	IR16006325	REJECTED	CLASSROOM 495 S.F REQ. 700 S.F, TOTAL CARPET AREA IS LESS 1560-250 +150=1460 S.F
540	IR16006348	REJECTED	2 - PRINTER LESS.
541	IR16006357	REJECTED	DIRECTOR PHOTO AND SIGNATURE NOT UPLOADED
542	IR16006362	REJECTED	DIRECTOR NOT QUALIFIED, CLASSROOM 650 S.F REQ. 700 S.F,
543	IR16006368	REJECTED	DIRECTOR NAME NOT MENTION
544	IR16006371	REJECTED	01 FULL TIME FACULTY LESS FOR DCA, 01 PRINTER LESS
545	IR16006376	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA, DIRECTOR CANNOT BE FACULTY,DIRECTOR SIGNATURE NOT UPLOADED
546	IR16006377	REJECTED	02 PRINTER LESS
547	IR16006381	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED,02 MAGZINE LESS
548	IR16006390	REJECTED	01 FACUL LESS, 01 MAG LESS
549	IR16006398	REJECTED	02 PRINTER LESS, 01 FULL TIME FACULTY LESS FOR PGDCA, CLASS ROOM 600 REQ. 700 S.F
550	IR16006410	REJECTED	01 FULL TIME FACULTY LESS FOR DCA,02 PRINTER LESS, DIRECTOR ROOM 75 REQ 150 S.F, LIBRARY ROOM NOT MENTION
551	IR16006416	REJECTED	01 FULL TIME FACULTY LESS FOR DCA,DIRECTOR SIGNATURE NOT UPLOADED,02 MAGZINE LESS

552	IR16006418	REJECTED	CLASSROOM 611 S.F REQ 700 S.F, TOTAL CARPET AREA IS LESS 1554-242 +150=1462 S.F, 02 MAGZINE LESS
553	IR16006443	REJECTED	02 PRINTER LESS, DIRECTOR ROOM NOT MENTION
554	IR16006455	REJECTED	2- PRINTER REQ.
555	IR16006457	REJECTED	2 PRINTER LESS
556	IR16006458	REJECTED	2- PRINTER REQ.
557	IR16006460	REJECTED	DIRECTOR SIGNATURE NOT UPLOAD, PHOTO NOT CLEAR, FULL TIME & PART TIME NOT MENTION.
558	IR16006468	REJECTED	2 PRINTER LESS
559	IR16006471	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA,DIRECTOR CANNOT BE A FACULTY, CLASSROOM 426 S.F REQ. 700 S.F
560	IR16006472	REJECTED	01 PRINTER LESS, ,CLASSROOM 600 S.F REQ. 700 S.F,COMPUTER LAB 250 REQ. 300 S.F , LIBRARY ROOM 80 REQ. 100 S.F CANNOT BE ADJUSTABLE
561	IR16006474	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED, CLASS ROOM 612 REQ. 700 S.F,
562	IR16006477	REJECTED	DIRECTOR NOT QUALIFIED,01 PRINTER LESS,02 MAGZINE LESS, SAME DIR IR 5302
563	IR16006480	REJECTED	DIRECTOR SIG. NOT UPLOAD.,
564	IR16006481	REJECTED	01 FULL TIME FACULTY LESS, 01 MAGZINE LESS
565	IR16006486	REJECTED	DIRECTOR SIG. NOT UPLOAD.,
566	IR16006502	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA, DIRECTOR CANNOT BE FACULTY,01 PRINTER LESS,01 MAGZINE LESS
567	IR16006505	REJECTED	2 CLASS ROOM = 450 SQ FT, TOTAL AREA = 1450
568	IR16006527	REJECTED	DIRECTOR SIGN NOT UPLOADED
569	IR16006529	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
570	IR16006532	REJECTED	DIRTOR DEGREE ONLY BCA MENTIONED
571	IR16006543	REJECTED	2 PRINTER LESS
572	IR16006550	REJECTED	DIRECTOR NOT QUALIFIED,DIRECTOR SIGNATURE NOT UPLOADED
573	IR16006554	REJECTED	02 PRINTER LESS, SAME DIR IR 6566
574	IR16006555	REJECTED	DIR SIG NOT UPLOAD
575	IR16006562	REJECTED	DIRECTOR SIG. NOT UPLOAD.,
576	IR16006566	REJECTED	CLASSROOM 650 S.F REQ. 700 S.F,COMPUTER LAB 288 S.F REQ. 300 S.F,02 PRINTER LESS, SAME DIR IR 6554
577	IR16006573	REJECTED	01 PRINTER LESS, DIRECTOR SIGNATURE NOT UPLOADED
578	IR16006576	REJECTED	DIR SIG. NOT UPLOAD, 1 FACULTY LESS
579	IR16006577	REJECTED	01 FULL TIME FACULTY LESS FOR DCA, DIRECTOR NOT QUALIFIED FOR FACULTY, 01 MAGZINE LESS
580	IR16006585	REJECTED	01 FULL TIME FACULTY IS LESS FOR DCA, DIRECTOR CANNOT BE FACULTY,02 MAGZINE LESS

581	IR16006588	REJECTED	CLASSROOM 500 S.F REQ. 700 S.F, COMPUTER ROOM 100 S.F REQ 300, DIRECTOR ROOM 120 S.F REQ 150 S.F TOTAL CARPET AREA IS LESS 1500-500 +150=1150 S.F, 01 PRINTER LESS
582	IR16006595	REJECTED	CLASSROOM 540 S.F REQ 700 S.F, COMPUTER LAB 118 S.F REQ 300 , DIRECTOR ROOM 115 S.F TOTAL CARPET AREA IS LESS 1631-505 +150=1276 S.F, 01 MAGZINE LESS
583	IR16006596	REJECTED	01 FACULTY LESS, DIRECTOR NOT QUALIFIED
584	IR16006600	REJECTED	01 FULL TIME FACULTY IS LESS FOR DCA, DIRECTOR CANNOT BE FACULTY,02 MAGZINE LESS
585	IR16006604	REJECTED	CLASSROOM 560 S.F REQ. 700 S.F, COMPUTER ROOM 280 REQ. 300 S.F,TOTAL CARPET AREA IS LESS 1500-170 +150=1480 S.F
586	IR16006605	REJECTED	2- PRINTER REQ.
587	IR16006617	REJECTED	DIRECTOR SIG. NOT UPLOAD.
588	IR16006631	REJECTED	DIRECTOR PHOTO AND SIGNATURE NOT UPLOADED
589	IR16006635	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA, CLASSROOM 687 S.F REQ. 700 S.F,COMPUTER ROOM 286 S.F REQ 300, TOTAL CARPET AREA IS LESS 1757-482 +150=1425 S.F, 02 MAGZINE LESS
590	IR16006642	REJECTED	DIRECTOR SIGN NOT UPLOADED, SAME DIR IR 3275
591	IR16006643	REJECTED	2 CLASS ROOM - 500 SQ.FT., FACULTY BA, B.SC,, BE IN ELECTRONIC SHOWN,
592	IR16006655	REJECTED	01 FACULTY LESS FOR DCA, DIRECTOR CANNOT BE A FACULTY, LAB ASSTANT IS NOT A FACULTY, 01 MAGZINE LESS
593	IR16006657	REJECTED	TUTORIAL ROOM 450 S.F REQ. 700 CANNOT BE ADJUSTABLE
594	IR16006668	REJECTED	DIRECTOR SIGN NOT UPLOADED, FACULTY FULLTIME/PART TIME NOT MENTION
595	IR16006675	REJECTED	DIRECTOR SIG. NOT UPLOAD.
596	IR16006682	REJECTED	02 PRINTER LESS
597	IR16006684	REJECTED	01 FACULTY LESS FOR DCA, LAB ASSTANT IS NOT A FACULTY, POL. TECH IS NOT PG DIPLOMA
598	IR16006686	REJECTED	DIRECTOR SIG. NOT UPLOAD.
599	IR16006687	REJECTED	CLASSROOM 564 S.F REQ. 700 S.F, DIRECTOR ROOM 80 S.F REQ 150 TOTAL CARPET AREA IS LESS 1702-564 +150=1192 S.F, 02 MAGZINE LESS, 01 FULL TIME FACULTY LESS FOR DCA,01 PRINTER LESS
600	IR16006688	REJECTED	CLASSROOM 442 S.F REQ. 700 S.F, LIBRARY 80 REQ. 100 S.F, CANNOT BE ADJUSTABLE
601	IR16006702	REJECTED	02 FULL TIME FACULTY LESS , DIRECTOR CANNOT BE FACULTY, 01 MAGZINE LESS
602	IR16006705	REJECTED	DIRECTOR QUALIFICATION NOT MENTION ,01 FULL TIME FACULTY LESS, DIRECTOR SIGNATURE NOT UPLOADED
603	IR16006707	REJECTED	DIRECTOR SIG. NOT UPLOAD., 1 MAG LESS
604	IR16006718	REJECTED	TUTORIAL ROOM 264 S.F REQ. 700 S.F,COMPUTER LAB 220 REQ. 300 S.F,TOTAL CARPET AREA IS LESS 1596-342 +150=1404 S.F,01 MAGZINE LESS,DIRECTOR SIGNATURE NOT UPLOADED,
605	IR16006723	REJECTED	CLASSROOM 400 S.F REQ. 700 S.F, COMPUTER ROOM 250 S.F REQ 300 TOTAL CARPET AREA IS LESS 1500-300 +150=1350 S.F, 01 FULL TIME FACULTY LESS FOR PGDCA

606	IR16006740	REJECTED	SAME DIRECTOR FOR APP NO 1905,6662,6774,EXISTING DIRECTOR
607	IR16006755	REJECTED	01 FULL TIME FACULTY LESS ,CLASSROOM 630 S.F REQ. 700 S.F, LIBRARY ROOM 64 REQ. 100 S.F,TOTAL CARPET AREA IS LESS 1513-300 +150=1363 S.F
608	IR16006756	REJECTED	DIRECTOR SIG. NOT UPLOAD.
609	IR16006758	REJECTED	01 FULL TIME FACULTY LESS ,DIRECTOR SIGNATURE NOT UPLOADED,DIRECTOR NOT QUALIFIED,02 PRINTER LESS, CLASSROOM 350 S.F REQ. 700 S.F
610	IR16006767	REJECTED	02 MAGZINE LESS, DIRECTOR SIGNATURE NOT UPLOADED
611	IR16006768	REJECTED	DIRECTOR NOT QUALIFIED,01 FULL TIME FACULTY LESS FOR PGDCA,DIRECTOR CANNOT BE A FACULTY,DIRECTOR PHOTO NOT UPLOADED,CLASSROOM 600 S.F REQ. 700 S.F, 02 PRINTER LESS
612	IR16006771	REJECTED	01 FACULTY LESS , DIRECTOR CANNOT BE FACULTY, 01 MAGZINE LESS
613	IR16006774	REJECTED	SAME DIRECTOR FOR APP NO 6740,1905,6774,EXISTING DIRECTOR
614	IR16006782	REJECTED	DIRE NOT QUALIFIED, CARPET AREA DETAIL NOT MENTION. DIRE. PHOTO NOT UPLOAD.
615	IR16006783	REJECTED	DIRECTOR SIGN NOT UPLOADED
616	IR16006790	REJECTED	COMPUTER LAB 250 SQ.FT, CLASS ROOM 500 SQ.FT. , 1- MAZ LESS.
617	IR16006795	REJECTED	DIRECTOR SIG. NOT UPLOAD.
618	IR16006819	REJECTED	DIR SIG NOT UPLOAD
619	IR16006831	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED, CLASSROOM 306 S.F REQ. 700 S.F,COMPUTER LAB 262 REQ. 300 S.F TOTAL CARPET AREA IS LESS 1550-280 +150=1420 S.F
620	IR16006832	REJECTED	FULL TIME PART TIME NOT MENTIONED, DIR SIG NOT UPLOAD
621	IR16006835	REJECTED	DIRECTOR SIG. NOT UPLOAD.
622	IR16006840	REJECTED	DIRECTOR NOT QUALIFIED, DIRECTOR SIGN NOT UPLOADED
623	IR16006852	REJECTED	DIRECTOR SIG. NOT UPLOAD., DIR QUA. ,NOT MENTION,2 MAZ LESS
624	IR16006862	REJECTED	1 MAZ LESS,DIR SIG NOT UPLOAD
625	IR16006863	REJECTED	DIRECTOR SIG. NOT UPLOAD., 1- PRINTER LESS
626	IR16006876	REJECTED	DIRECTOR SIGN NOT UPLOADED
627	IR16006877	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
628	IR16006894	REJECTED	FACULTY FULLTIME/ PART TIME NOT MENTION, CLASSROOM 504S.F REQ. 700 S.F, COMPUTER LAB 144 REQ. 300 S.F TOTAL CARPET AREA IS LESS 1776-600 +150=1326 S.F, 01 PRINTER LESS
629	IR16006909	REJECTED	DIR SIG. NOT UPLOAD,2 CLASS ROOM 610 SQ FT
630	IR16006911	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED,FACULTY FULLTIME/PART TIME NOT MENTION,01 FULL TIME FACULTY LESS FOR PGDCA ,02 MAGZINE LESS
631	IR16006912	REJECTED	DIRECTOR SIG. NOT UPLOAD.
632	IR16006918	REJECTED	COLLEGE WORD USED,01 FULL TIME FACULTY LESS FOR PGDCA
633	IR16006925	REJECTED	01 PRINTER LESS, COMPUTER ROOM 144 REQ. 300 S.F CANNOT BE ADJUSTABLE

634	IR16006927	REJECTED	CARPET AREA DETAIL NOT MEMTION
635	IR16006931	REJECTED	1 PRINTER LESS,2 CLASSROOM 350, 1 MAZ LESS
636	IR16006942	REJECTED	01 FACULTY LESS, COLLEGE WORD USE
637	IR16006951	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED, TUTORIAL ROOM 480 REQ. 700 S.F, 01 MAGZINE LESS
638	IR16006957	REJECTED	CLASSROOM 480 S.F REQ. 700 S.F, COMPUTER LAB 240 REQ. 300 S.F,TOTAL CARPET AREA IS LESS 1780-580 +150=1350 S.F,02 MAGZINE LESS
639	IR16006962	REJECTED	2 CLASS ROOM 470 SQ FT TOTAL AREA 1479 SQ FT
640	IR16006968	REJECTED	4 COMPUTER LESS,2 PRINTER LESS
641	IR16006970	REJECTED	01 FULL TIME FACULTY IS LESS FOR DCA, DIRECTOR CANNOT BE FACULTY
642	IR16006972	REJECTED	CLASSROOM 500 S.F REQ. 700 S.F, COMPUTER ROOM 250 S.F REQ 300 , 01 FULL TIME FACULTY LESS FOR PGDCA
643	IR16006983	REJECTED	COLLEGE WORD USED,DIRECTOR PHOTO AND SIGNATURE NOT UPLOADED, COMPUTER LAB 275 REQ. 300 S.F TOTAL CARPET AREA IS SUFFICIENT
644	IR16006986	REJECTED	DIR. NOT QUALIFIED
645	IR16006990	REJECTED	01 FACULTY LESS,CLASSROOM 540 S.F REQ. 700 S.F CANNOT BE ADJUSTABLE
646	IR16006996	REJECTED	COLLEGE WORD USED,DIRECTOR NOT QUALIFIED, 02 PRINTER LESS,
647	IR16007001	REJECTED	DIRECTOR NOT QUALLFIED
648	IR16007014	REJECTED	DIR NOT QUALIFIED BA,PGDCA
649	IR16007028	REJECTED	CARPET AREA DETAIL NOT MENTION,DIR SIG NOT UPLOAD
650	IR16007032	REJECTED	DIRECTOR NOT QUALIFIED,CLASSROOM 500 S.F REQ. 700 S.F, COMPUTER ROOM 160 REQ. 300 S.F,TOTAL CARPET AREA IS LESS 1520-524 +150=1146 S.F,01 FULL TIME FACULTY LESS FOR PGDCA ,02 MAGZINE LESS
651	IR16007044	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED, CLASSROOM 600 S.F REQ. 700 S.F
652	IR16007056	REJECTED	DIRECTOR PHOTO AND SIGNATURE NOT UPLOADED,01 PRINTER LESS
653	IR16007057	REJECTED	01 FULL TIME FACULTY LESS FOR DCA, DIRECTOR QUALIFICATION MENTION PG,02 MAGZINE LESS,02 PRINTER LESS
654	IR16007058	REJECTED	01 FACULTY LESS,CLASSROOM 650 S.F REQ. 700 S.F,COMPUTER LAB 250 S.F REQ. 300 S.F ,DIRECTOR SIGNATURE NOT UPLOADED,
655	IR16007060	REJECTED	01 FULL TIME FACULTY LESS FOR DCA,01 PRINTER LESS,CLASSROOM 396 S.F REQ. 700 S.F, DIRECTOR ROOM 100 S.F REQ 150 S.F TOTAL CARPET AREA IS LESS 1516-470 +150=1196 S.F
656	IR16007062	REJECTED	DIR. SIGNATURE NOT UPLOAD
657	IR16007067	REJECTED	CLASSROOM 272 S.F REQ. 700 S.F,COMPUTER LAB 252 REQ. 300 S.FTOTAL CARPET AREA IS LESS 2275- 941+150=1484 S.F
658	IR16007085	REJECTED	DIR. SIG NOT UPLOAD,1 PRINTER LESS

659	IR16007087	REJECTED	2 PRINTER LESS,(SAME DIRECTOR IR 2121)
660	IR16007090	REJECTED	FACULTY FULLTIME/PART TIME NOT MENTION, CLASSROOM 517 S.F REQ. 700 S.F, COMPUTER LAB 200 S.F REQ. 300 S.F TOTAL CARPET AREA IS LESS 1602-346 +150=1406 S.F, 01 MAGZINE LESS,01 PRINTER LESS
661	IR16007093	REJECTED	DIRECTOR NOT QUALIFIED, 01 PRINTER LESS , SAME DIR IR 7479
662	IR16007105	REJECTED	01 FACULTY LESS
663	IR16007107	REJECTED	NO FACULTY,N COMPUTING NOT APPLICABLE ,5 COMPUTER LESS
664	IR16007109	REJECTED	DIRECTOR NOT QUALIFIED, 2 CLASS ROOM 600 SQ.FT. , COMPUTER LAB - 270 SQ.FT.
665	IR16007112	REJECTED	CLASSROOM 360 S.F REQ. 700 S.F, TOTAL CARPET AREA IS LESS 1520-600 +150=1070 S.F, 02 MAGZINE LESS, 01 FULL TIME FACULTY LESS FOR PGDCA,01 PRINTER LESS
666	IR16007125	REJECTED	01 FACULTY LESS FOR PGDCA, DIRECTOR SIGNATURE NOT UPLOADED, 01 PRINTER LESS
667	IR16007127	REJECTED	DIR. PHOTO & SIG NOT UPLOAD,CLASS ROOM 620 SQ FT COMP LAB 210 SQ FT
668	IR16007130	REJECTED	COLLEGE WORD USED,01 FULL TIME FACULTY LESS FOR PGDCA
669	IR16007139	REJECTED	01 FULL TIME FACULTY LESS, 02 PRINTER LESS
670	IR16007145	REJECTED	1 MAG LESS,DIRECTOR SIG. NOT UPLOAD.,
671	IR16007152	REJECTED	DIR SIG NOT UPLOAD , II FORM NO 2146
672	IR16007155	REJECTED	DIR. SIG NOT UPLOAD,1 PRINTER LESS
673	IR16007157	REJECTED	DIRECTOR SIG NOT UPLOAD, 8 COMPUTER AS A NCOMPUTER
674	IR16007172	REJECTED	COMPUTER LAB 150 REQ. 300 S.F , 01 MAGZINE LESS,02 PRINTER LESS
675	IR16007188	REJECTED	FULL TIME PART TIME NOT MENTION, DIR SIG. NOT UPLOAD,1 MAZ LESS
676	IR16007200	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA, CLASSROOM 600 S.F REQ. 700 S.F
677	IR16007207	REJECTED	DIR SIG. NOT UPLOAD(B.SC),1 FACULTY LESS
678	IR16007215	REJECTED	DIRECTOR SIGN NOT UPLOADED
679	IR16007231	REJECTED	DIR QUA. NOT PG DEGREE,1 MAZ LESS
680	IR16007233	REJECTED	01 FULL TIME FACULTY LESS FOR DCA, DIRECTOR CANNOT BE A FACULTY,
681	IR16007235	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA,FACULTY FULLTIME/PART TIME NOT MENTION,01 PRINTER LESS
682	IR16007236	REJECTED	CLASSROOM 580 S.F REQ. 700 S.F,COMPUTER LAB 266 S.F REQ. 300 S.F,
683	IR16007237	REJECTED	DIR. SIG NOT UPLOAD
684	IR16007239	REJECTED	FACULTY FULLTIME/PART TIME NOT MENTION, 01 MAGZINE LESS , DIRECTOR SIGNATURE NOT UPLOADED
685	IR16007242	REJECTED	DIRECTOR NOT PG DEGREE
686	IR16007254	REJECTED	2 PRINTER LESS
687	IR16007259	REJECTED	DIRECTOR SIG. NOT UPLOAD.

688	IR16007273	REJECTED	02 PRINTER LESS
689	IR16007282	REJECTED	COLLEGE WORD USED,01 MAGZINE LESS, DIRECTOR QUALIFICATION NOT MENTION , LIBRARY ROOM 150 S.F REQ. 200 S.F,COMPUTER LAB 150 REQ. 450 S.F FACULTY ROOM 150 REQ. 200 S.F CANNOT BE ADJUSTABLE
690	IR16007287	REJECTED	DIR. NOT B.E.,FULL TIME PART TIME NOT MENTION, 1 MAZ LESS,DIR SIG NOT UPLOAD
691	IR16007303	REJECTED	DIRECTOR NOT P.G.
692	IR16007304	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED, CLASS ROOM 654 REQ. 700 S.F
693	IR16007307	REJECTED	CLASSROOM 330 S.F REQ. 700 S.F, CANNOT BE ADJUSTABLE , 01 PRINTER LESS
694	IR16007314	REJECTED	CLASS ROOM 600 SQ.FT , 2- PRINTER LESS,
695	IR16007328	REJECTED	01 FULL TIME FACULTY LESS, TUTORIAL ROOM 350 REQ. 700 S.F, DIRECTOR ROOM 100 REQ. 150 S.F CANNOT BE ADJUSTABLE, 01 PRINTER LESS
696	IR16007329	REJECTED	2 CLASS ROOM - 400 SQ.FT., 1 TUTORIAL ROOM - 100 SQ.FT., COMPUTER LAB - 200 SQ.FT. FACULTY MBA SHOWN, FULL TIME & PART TIME NOT MENTION.
697	IR16007334	REJECTED	COLLEGE WORD USED,FACULTY QUALIFICATION PG/UG MENTION, CLASSROOM 1100 S.F REQ. 1600 S.F,TOTAL CARPET AREA IS LESS 3000-300+200=2900 S.F
698	IR16007339	REJECTED	DIRECTOR SIG. NOT UPLOAD.,
699	IR16007343	REJECTED	02 PRINTER LESS
700	IR16007349	REJECTED	DIRECTOR SIG. NOT UPLOAD.,
701	IR16007351	REJECTED	DIRECTOR PHOTO AND SIGNATURE NOT UPLOADED
702	IR16007353	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED,
703	IR16007357	REJECTED	DIR. SIG NOT UPLOAD
704	IR16007359	REJECTED	DIRECTOR SIGN NOT MENTION
705	IR16007361	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED, CLASSROOM 650 S.F REQ. 700 S.F, 02 MAGZINE LESS
706	IR16007362	REJECTED	DIR. PHOTO NOT UPLOAD
707	IR16007368	REJECTED	FULL TIME PART TIME NOT MENTION, DIR PHOTO & SIG. NOT UPLOAD
708	IR16007376	REJECTED	02 FULL TIME FACULTY LESS ,DIRECTOR SIGNATURE NOT UPLOADED,02 PRINTER LESS,CLASSROOM 330 S.F REQ. 700 S.F
709	IR16007388	REJECTED	1 FACULTY LESS,DIR. QUALIFICATION NOT MENTION, 1 PRINTER LESS
710	IR16007391	REJECTED	02 MAGZINE LESS ,DIRECTOR PHOTO AND SIGNATURE NOT UPLOADED,
711	IR16007397	REJECTED	DIRCTOR NOT QUALIFIED .
712	IR16007401	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA,DIRECTOR SIGNATURE NOT UPLOADED
713	IR16007404	REJECTED	DIR. SIGNATURE NOT UPLOAD
714	IR16007406	REJECTED	02 PRINTER LESS, CLASSROOM 350 S.F REQ. 700 S.F

715	IR16007417	REJECTED	1 FACULTY REQUIRED, FACULTY QUALIFICATION NO CLEAR, COM LAB 230 SQ.FT ,DIR SIG NOT UPLOAD
716	IR16007421	REJECTED	DIRECTOR SIG. NOT UPLOAD.
717	IR16007424	REJECTED	01 FULL TIME FACULTY LESS ,DIRECTOR CANNOT BE FACULTY,DIRECTOR SIGNATURE NOT UPLOADED, CLASSROOM 540 S.F REQ. 700 S.F,FACULTY ROOM AND GIRL,BOY COMMON ROOM NOT MENTION
718	IR16007436	REJECTED	DIR. NOT QUALIFIED ONLY B.COM.
719	IR16007441	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA,
720	IR16007444	REJECTED	COLLEGE WORD USED,01FACULTY LESS FULLTIME/PART TIME NOT MENTION ,CLASS ROOM 520 REQ. 700 S.F
721	IR16007446	REJECTED	01 PRINTER LESS, DIRECTOR NOT QUALIFIED,09 COMPUTER LESS
722	IR16007448	REJECTED	CLASSROOM 440 S.F REQ. 700 S.F, COMPUTER ROOM 195 REQ. 300 S.FTOTAL CARPET AREA IS LESS 1581-460 +150=1271 S.F,01 PRINTER LESS , FACULTY FULLTIME/PART TIME NOT MENTION
723	IR16007449	REJECTED	CLASSROOM 613 S.F REQ. 700 S.F, DIRECTOR ROOM 42 S.F REQ. 150 S.F, RECPTION 42 S.F REQ. 100 S.F HENCE CARPET AREA IS LESS FOR REJECTION
724	IR16007450	REJECTED	01 MAGZINE LESS, COMPUTER LAB NOT MENTION CANNOT BE ADJUSTABLE
725	IR16007451	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
726	IR16007459	REJECTED	DIR. NOT QUALIFIED,1 FACULTY LESS,COMPUTER LAB NOT MENTION
727	IR16007462	REJECTED	DIRECTOR SIG. NOT UPLOAD., 1 PRINTER LESS
728	IR16007466	REJECTED	FACULTY DESIGNATION NOT CLEAR,CLASSROOM 400 S.F REQ. 700 S.F, COMPUTER LAB 250 REQ. 300 S.F, CANNOT BE ADJUSTABLE, 01 PRINTER LESS
729	IR16007469	REJECTED	DIR SIG NOT UPLOAD
730	IR16007474	REJECTED	DIRECTOR NOT QUALIFIED
731	IR16007479	REJECTED	DIRECTOR NOT QUALIFIED, 01 PRINTER LESS ,CLASSROOM 600 S.F REQ. 700 S.F, SAME DIR IR 7093
732	IR16007483	REJECTED	01 FACUL LESS, 01 MAG LESS, CARPET AREA , 10 COMPUTER LESS, NO PRINTER.
733	IR16007498	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA,COLLEGE WORD USE
734	IR16007507	REJECTED	02 PRINTER LESS
735	IR16007513	REJECTED	DIRECTOR NOT QUALIFIED
736	IR16007520	REJECTED	FACULTY FULLTIME/PART TIME NOT MENTION,DIRECTOR NOT QUALIFIED,COMPUTER ROOM 120 S.F REQ 300
737	IR16007524	REJECTED	2 PRINTER LESS
738	IR16007529	REJECTED	CLASSROOM 500 S.F REQ. 700 S.F, LIBRARY ROOM AND OFFICE/RECEPTION ROOM NOT MENTION
739	IR16007536	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED,FACULTY FULLTIME/PART TIME NOT MENTION
740	IR16007539	REJECTED	01 FULL TIME FACULTY LESS ,DIRECTOR CANNOT BE A FACULTY, DIRECTOR SIGNATURE NOT UPLOADED, 02 PRINTER LESS

741	IR16007548	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA, 01 FACULTY FULLTIME/PART TIME NOT MENTION
742	IR16007550	REJECTED	DIRECTOR SIG. NOT UPLOAD.
743	IR16007559	REJECTED	CLASS ROOM, COMPUTER LAB, LIB, LESS SQ.FT., 01 MAZ LESS, TOTAL CARPET AREA LESS
744	IR16007568	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED, 02 MAGZINE LESS
745	IR16007574	REJECTED	02 FULL TIME FACULTY LESS ,DIRECTOR CANNOT BE A FACULTY, CLASS ROOM 500 REQ. 700 S.F
746	IR16007580	REJECTED	DIR. SIG NOT UPLOAD
747	IR16007587	REJECTED	FACULTY FULLTIME/PART TIME NOT MENTION,DIRECTOR SIGNATURE NOT UPLOADED
748	IR16007606	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA,DIRECTOR PHOTO AND SIGNATURE NOT UPLOADED
749	IR16007611	REJECTED	DIRECTOR SIG NOT MENTIONED
750	IR16007620	REJECTED	DIRECTOR SIGN NOT UPLOADED, COMPUTER ROOM 200 S.F REQ 300 S.F
751	IR16007635	REJECTED	NO DIRECTOR NAME, QUALIFICATION NOT FULLFILL., COMPUTER LAB 150 SQ.FT.
752	IR16007639	REJECTED	01 PRINTER AND 01 MAGZINE LESS ,CLASSROOM 600 S.F REQ. 700 S.F,DIRECTOR SIGNATURE NOT UPLOADED
753	IR16007645	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA , DIRECTOR CANNOT BE A FACULTY
754	IR16007646	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
755	IR16007647	REJECTED	DIR SIG NOT UPLOAD
756	IR16007650	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA,DIRECTOR NOT QUALIFIED, CLASSROOM 420 S.F REQ. 700 S.F
757	IR16007658	REJECTED	DIRECTOR SIG. NOT UPLOAD., 1 - MAZ LESS.
758	IR16007676	REJECTED	DIRECTOR SIG. NOT UPLOAD., DIR. QUALIFICATION NOT MENTION
759	IR16007683	REJECTED	CLASSROOM 438 S.F REQ. 700 S.F CANNOT BE ADJUSTABLE
760	IR16007684	REJECTED	CLASSROOM 432 S.F REQ. 700 S.F, TOTAL CARPET AREA IS LESS 1532-200 +150=1482 S.F,
761	IR16007689	REJECTED	DIRECTOR NOT QUALIFIED, CLASSROOM 600 S.F REQ. 700 S.F, FACULTY FULLTIME/ PART TIME NOT MENTION, DIRECTOR SIGNATURE NOT UPLOADED, 01 PRINTER LESS
762	IR16007692	REJECTED	DIRECTOR NOT QUALIFIED ONLY GRADUATE, NO COMPUTER MENTION.
763	IR16007695	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA, 01 MAGZINE LESS
764	IR16007696	REJECTED	CLASSROOM 400 S.F REQ. 700 S.F, DIRECTOR ROOM AND OTHER AREA NOT MENTION
765	IR16007699	REJECTED	02 PRINTER LESS
766	IR16007708	REJECTED	1 FACULTY LESS,1 PRINTER LESS,CLASS ROOM ONLY 470 SQ FT BUT REQ. 700 SQ FT
767	IR16007721	REJECTED	P.G. DEGREE NOT MENTION BY DIRECTOR
768	IR16007729	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED, CARPET AREA NOT CLEAR, SAME DIR IR 2563
769	IR16007733	REJECTED	DIRECTOR NOT QUALIFIED,FACULTY FULLTIME/PART TIME NOT MENTION,02 MAGZINE LESS
770	IR16007739	REJECTED	1 FACULTY LESS,1 PRINTER LESS,CARPORATE AREA DETAIL NOT MENTION
771	IR16007745	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED, DIRECTOR NOT QUALIFIED, 01 PRINTER LESS ,

772	IR16007747	REJECTED	CLASSROOM 440 S.F REQ. 700 S.F, COMPUTER LAB 240 S.F REQ. 300 S.F, HENCE CARPET AREA IS LESS FOR REJECTION
773	IR16007750	REJECTED	DIRECTOR NOT QUALIFIED, 02 PRINTER LESS, CLASSROOM 369 S.F REQ. 700 S.F
774	IR16007752	REJECTED	DIRECTOR SIG NOT UPLOAD, CARPET AREA FOR 2 CLASS ROOM = 400 SQ.FT.
775	IR16007753	REJECTED	03 CPU & 15 MONITER SHOWN.
776	IR16007756	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED, 02 MAGZINE LESS
777	IR16007757	REJECTED	DIRECTOR SIG. NOT UPLOAD.,
778	IR16007764	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA,DIRECTOR QUALIFICATION MENTION PG,01 PRINTER LESS, DIRECTOR SIGNATURE NOT UPLOADED
779	IR16007775	REJECTED	DIRECTOR SIG. NOT UPLOAD., 1 MAZ LESS
780	IR16007776	REJECTED	01 FULL TIME FACULTY LESS FOR DCA
781	IR16007779	REJECTED	DIRECTOR SIG. NOT UPLOAD.
782	IR16007780	REJECTED	01 MAGZINE LESS , 01 PRINTER LESS,CLASS ROOM 600 REQ. 700 S.F, TOTAL CARPET AREA SUFFICIENT BUT OFFICE AND OTHER AREA NOT MENTION
783	IR16007781	REJECTED	02 PRINTER AND 02 MAGZINE LESS
784	IR16007791	REJECTED	CLASSROOM 400 S.F REQ. 700 S.F CANNOT BE ADJUSTABLE
785	IR16007792	REJECTED	DIRECTOR PHOTO & SIG. NOT UPLOAD.
786	IR16007794	REJECTED	SAME DIRECTOR APPLI. NO 4242- OK- IIIRD - 4439, IIND-
787	IR16007796	REJECTED	01 FULL TIME FACULTY LESS FOR DCA, DIRECTOR SIGNATURE NOT UPLOADED, CLASSROOM 600 S.F REQ. 700 S.F,COMPUTER LAB 150 REQ. 300 S.F
788	IR16007801	REJECTED	DIRECTOR SIGNATURE NOT UPLOAD,
789	IR16007804	REJECTED	DIRECTOR SIG. NOT UPLOAD., 1 - FACULTY LESS.
790	IR16007811	REJECTED	2 CLASS ROOM + TUTORIAL - 534 SQ.FT. , 1 FACULTY LESS, TOTAL CARPET AREA = 1388 SQ.FT.
791	IR16007840	REJECTED	DIR SIG NOT UPLOAD,FULL TIME PART TIME NOT MENTION
792	IR16007844	REJECTED	COLLEGE WORD USED,DIRECTOR SIGNATURE NOT UPLOADED, CARPET AREA NOT CLEAR
793	IR16007853	REJECTED	CARPET AREA NOT CLEAR
794	IR16007859	REJECTED	CLASS ROOM AREA SHORT , 538 SQ.FT., 2- PRINTER SHORT.
795	IR16007860	REJECTED	DIRECTOR NOT QUALIFIED
796	IR16007868	REJECTED	02 MAGZINE LESS, 02 FACULTY LESS
797	IR16007869	REJECTED	NO FACULTY AS QUALIFIED, COM LAB, LIB. NOT MENTION, NO SIG. ON PHOTO
798	IR16007879	REJECTED	DIRECTOR PHOTO & SIG NOT UPLOAD.
799	IR16007881	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
800	IR16007885	REJECTED	2 PRINTER LESS

801	IR16007894	REJECTED	DIRECTOR SIG. NOT UPLOAD., CARPET AREA DETAIL NOT MENTION.
802	IR16007900	REJECTED	COLLEGE WORD USED,DIRECTOR SIGNATURE NOT UPLOADED, 01 PRINTER LESS
803	IR16007908	REJECTED	DIRECTOR NOT P.G. DEGREE
804	IR16007909	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED, CLASSROOM 200 S.F REQ. 700 S.F
805	IR16007910	REJECTED	2- PRINTER LESSS,.
806	IR16007923	REJECTED	COLLEGE WORD USED,2 PRINTER LESS
807	IR16007933	REJECTED	CLASS ROOM 660 SQ.FT , COMPUTER LAB 200 SQ,FT, TOTAL AREA 1450 SQ.FT.
808	IR16007941	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED, CLASSROOM 180 S.F REQ. 700 S.F, COMPUTER LAB 210 REQ. 300 S.F TOTAL CARPET AREA IS LESS ,02 PRINTER LESS
809	IR16007950	REJECTED	CLASSROOM 360 S.F REQ. 700 S.F, COMPUTER LAB 180 REQ. 300 S.F,TOTAL CARPET AREA IS LESS 1500-230 +150=1420 S.F,
810	IR16007954	REJECTED	DIRECTOR NOT QUALIFIED, CLASS ROOM 600 S.F REQ 700 S.F, DIRECTOR SIGNATURE NOT UPLOAD
811	IR16007955	REJECTED	DIR. NOT PG DEGREE, NO FACULTY,FULL TIME PART PART TIME NOT MENTION ,DIR SIG NOT UPLOAD
812	IR16007957	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
813	IR16007960	REJECTED	DIR. SIG AND PHOTO NOT UPLOAD
814	IR16007963	REJECTED	01 FULL TIME FACULTY IS LESS FOR DCA, 01 CLASSROOM 320 S.F REQ. 350 S.F, COMPUTER LAB 220 S.F REQ 300 S.F CARPET AREA LESS
815	IR16007969	REJECTED	DIR. NOT QUALIFIED ONLY BCA,1 FACULTY LESS CLASS ROOM 600 SQ FT
816	IR16007973	REJECTED	DIRECTOR NOT QUALIFIED,CLASSROOM 600 S.F REQ. 700 S.F, 01 MAGZINE AND 01 PRINTER LESS
817	IR16007985	REJECTED	DIRECTOR NOT QUALIFIED, FACULTYFULL TIME/ PART TIME NOT MENTION,01 PRINTER LESS, DIRECTOR SIGNATURE NOT UPLOADED
818	IR16007987	REJECTED	DIRECTOR QUALIFICATION NOT MENTION, CLASS ROOM 450 REQ. 700 S.F,COMPUTER LAB 200 REQ. 300 S.F TOTAL CARPET AREA CANNOT BE ADJUSTABLE
819	IR16007990	REJECTED	1 MAZ LESS,1 PRINTER LESS,2 CLASS ROOM OF 300 SQ FT
820	IR16008000	REJECTED	DIR. NO QUALIFIED ,ONLY GRADUATE,FULL TIME PART TIME NOT MENTION
821	IR16008007	REJECTED	SAME DIR.,II FORM NO 8181 OK
822	IR16008008	REJECTED	2 PRINTER LESS,CLASS ROOM 429 SQ FT
823	IR16008009	REJECTED	SAME DIRECTOR - IST FORM NO. 8162, CARPET AREA - 2 CLASS ROOM 300 SQ.FT. , TOTAL AREA = 1200 SQ.FT.
824	IR16008012	REJECTED	01 FULL TIME FACULTY LESS FOR DCA,DIRECTOR CANNOT BE A FACULTY, 01 PRINTER LESS,TOTAL CARPET AREA IS LESS 1691-517 +150=1324 S.F, 02 COMPUTER LESS
825	IR16008021	REJECTED	DIRECTOR NOT QUALIFIED, 01 FACULTY LESS
826	IR16008023	REJECTED	01 FACULTY LESS FOR PGDCA

827	IR16008033	REJECTED	DIRECTOR SIG. NOT UPLOAD.
828	IR16008035	REJECTED	ONLY CLASS ROOM MENTION, 02 PRINTER LESS,DIRECTOR SIGNATURE NOT UPLOADED
829	IR16008044	REJECTED	FACULTY FULL TIME/ PART TIME NOT MENTION,COMPUTER LAB 210 S.F REQ. 300 S.F,TOTAL CARPET AREA IS LESS 1600-500 +150=1250 S.F, 01 PRINTER LESS
830	IR16008046	REJECTED	02 PRINTER LESS
831	IR16008051	REJECTED	01 MAGZINE LESS, 02 FULL TIME FACULTY LESS , DIRECTOR CANNOT BE FACULTY
832	IR16008058	REJECTED	02 FULL TIME FACULTY LESS , DIRECTOR CANNOT BE FACULTY
833	IR16008066	REJECTED	1 FACULTY LESS, NO COMP LAB AREA, 10 COMP LESS
834	IR16008067	REJECTED	DIRECTOR NOT QUALIFIED,FACULTY QUALIFICATION NOT MENTION ,TWO PRINTER LESS,DIRECTOR SIG. NOT UPLOAD.,
835	IR16008076	REJECTED	FACULTY FULLTIME/PART TIME NOT MENTION,DIRECTOR NOT QUALIFIED
836	IR16008077	REJECTED	2 CLASS ROOM = 450 SQ FT, FULL TIME, PART TIME FACULTY NOT MENTION.
837	IR16008086	REJECTED	01 FULL TIME FACULTY LESS FOR PGDCA,FACULTY FULLTIME/PART TIME NOT MENTION,DIRECTOR QUALIFICATION MENTION PG, DIRECTOR SIGNATURE NOT UPLOADED,01 MAGZINE LESS
838	IR16008090	REJECTED	01 MAGZINE LESS, 02 PRINTER LESS, DIRECTOR SIGNATURE NOT UPLOADED
839	IR16008093	REJECTED	2 PRINTER LESS,2 CLASS ROOM 504 SQ FT COMP LAB 238 SQ FT
840	IR16008094	REJECTED	02 PRINTER LESS
841	IR16008095	REJECTED	DIRCTOR QUALIFICATION NOT CLEAR, 2- PRINTER LESS.
842	IR16008107	REJECTED	COLLEGE WORD USED , DIRECTOR NOT P.G. ,2 PRINTER LESS
843	IR16008109	REJECTED	01 PRINTER LESS, DIRECTOR SIGNATURE NOT UPLOADED
844	IR16008112	REJECTED	DIRECTOR SIGN NOT MENTION, 01 MAGZINE LESS
845	IR16008116	REJECTED	DIRECTOR NOT QUALIFIED, 1-MAZ LESS, COMPUTER LAB AREA NOT MENTION.
846	IR16008119	REJECTED	CLASSROOM 581 S.F REQ. 700 S.F, CANNOT BE ADJUSTABLE,01 PRINTER LESS
847	IR16008120	REJECTED	DIR. SIG NOT UPLOAD
848	IR16008122	REJECTED	2 CLASS ROOM ONLY 400 SQ FT, TOTAL AREA 1670 SQ FT
849	IR16008125	REJECTED	CLASSROOM 627 S.F REQ 700 S.F, DIRECTOR ROOM 100 S.F REQ. 150 S.F, TOTAL CARPET AREA IS LESS 1530-258 +150=1422 S.F, 01 MAGZINE LESS
850	IR16008135	REJECTED	01 FULL TIME FACULTY LESS ,DIRECTOR CANNOT BE A FACULTY, CLASSROOM 640 S.F REQ. 700 S.F, DIRECTOR SIGNATURE NOT UPLOADED
851	IR16008142	REJECTED	DIRECTOR NOT QUALIFIED, CLASSROOM 600 S.F REQ. 700 S.F, 01 MAGZINE AND 01 PRINTER LESS
852	IR16008152	REJECTED	CLASSROOM 500 S.F REQ. 700 S.F, TOTAL CARPET AREA IS LESS 1525-200 +150=1475 S.F, 01 FULL TIME FACULTY LESS FOR PGDCA
853	IR16008159	REJECTED	DIR. SIG NOT UPLOAD

854	IR16008162	REJECTED	SAME DIRECTOR - II ND FORM NO. 8009, CARPET AREA - 2 CLASS ROOM = 300 SQ.FT. TOTAL AREA = 1200 SQ.FT.
855	IR16008172	REJECTED	CLASSROOM 360 S.F REQ. 700 S.F,COMPUTER LAB 165 S.F REQ. 300 S.F,TOTAL CARPET AREA IS LESS 1600-731 +150=1019 S.F, 02 PRINTER LESS
856	IR16008174	REJECTED	DIRECTOR NOT QUALIFIED,PART TIME FULL TIME NOT MENTION
857	IR16008189	REJECTED	1 MAZ LESS,1 PRINTER LESS,1 CLASS ROOM 300 SQ FT NOT SHOWN
858	IR16008192	REJECTED	FACULTY FULLTIME/PART TIME NOT MENTION, 01 PRINTER LESS, DIRECTOR ROOM 105 S.F REQ 150 S.F CANNOT BE ADJUSTABLE
859	IR16008204	REJECTED	FACULTY FULLTIME/PART TIME NOT MENTION, DIRECTOR NOT QUALIFIED, 01 MAGZINE LESS
860	IR16008242	REJECTED	FULL TIME & PART TIME NOT MENTION ,1 PRINTER LESS,1 MAZ LESS ,CLASS ROOM AREA LESS
861	IR16008245	REJECTED	2 MAZ LESS CLASS ROOM 478 SQ FT,COMP LAB 270 SQ FT
862	IR16008252	REJECTED	01 FULL TIME FACULTY IS LESS FOR DCA , BCOM IS NOT QUALIFIED
863	IR16008256	REJECTED	DIRECTOR SIG. NOT UPLOAD.,
864	IR16008261	REJECTED	01 FULL TIME FACULTY IS LESS FOR DCA, COLLEGE WORD USE
865	IR16008267	REJECTED	DIRECTOR SIG. NOT UPLOAD.
866	IR16008277	REJECTED	DIRECTOR PHOTO AND SIGNATURE NOT UPLOADED,02 MAGZINE LESS
867	IR16008287	REJECTED	COLLEGE WORD USED,FULL TIME PART TIME NOT MENTION,DIR. NOT QUALIFIED
868	IR16008291	REJECTED	NO FACULTY
869	IR16008311	REJECTED	FACULTY FULLTIME/PART TIME NOT MENTION,CLASSROOM 509 S.F REQ. 700 S.F, DIRECTOR ROOM 90 REQ. 150 S.F, COMPUTER LAB 230 REQ. 300 S.F CANNOT ADJUSTABLE
870	IR16008324	REJECTED	COLLEGE WORD USED,DIRECTOR NOT QUALIFIED, 01 FACULTY LESS ,COMPUTER LAB 100 REQ. 300 S.F
871	IR16008337	REJECTED	2- CLASS ROOM 400 SQ.FT.
872	IR16008338	REJECTED	COLLEGE WORD USED,CLASSROOM 459 S.F REQ. 700 S.F, COMPUTER LAB 270 REQ. 300 S.F,TOTAL CARPET AREA IS LESS 1601-350 +150=1401 S.F,
873	IR16008349	REJECTED	03 FULL TIME FACULTY LESS, COM.LAB 800 SQ.FT. REQ, 02 MAZ LESS
874	IR16008355	REJECTED	COLLEGE WORD USE,1 FACULTY LESS,2 MAZ LESS, DIR. NOT P.G.DEGREE
875	IR16008364	REJECTED	1 PRINTER LESS, DIR. SIG NOT UPLOAD
876	IR16008378	REJECTED	DIRECTOR SIGNATURE NOT UPLOADED
877	ZIR16007846	REJECTED	DIRECTOR QUALIFICATION MENTION PG ,FACULTY QUALIFICATION MENTION PG AND FULL TIME/ PART TIME NOT MENTION ,CLASSROOM 450 S.F REQ. 700 S.F